

# Journal of Mechanics of Materials and Structures

**ON LOW-FREQUENCY VIBRATIONS OF A COMPOSITE STRING WITH  
CONTRAST PROPERTIES FOR ENERGY SCAVENGING FABRIC DEVICES**

Askar Kudaibergenov, Andrea Nobili and Ludmilla Prikazchikova

**Volume 11, No. 3**

**May 2016**





## ON LOW-FREQUENCY VIBRATIONS OF A COMPOSITE STRING WITH CONTRAST PROPERTIES FOR ENERGY SCAVENGING FABRIC DEVICES

ASKAR KUDAIBERGENOV, ANDREA NOBILI AND LUDMILLA PRIKAZCHIKOVA

Free vibrations of a two-component string with high-contrast material parameters are considered at different boundary conditions to illustrate the very low-frequency energy harvesting capability of fabric devices. It is revealed that, only for the case of mixed boundary conditions, low-frequency (locally) almost rigid-body vibrations are admissible, provided that material parameter ratios lie in some well defined interval. A low-frequency perturbation procedure is carried out to determine the eigenfrequencies as well as the eigenforms. The analysis is extended to a piecewise inhomogeneous string and to a string supported on an elastic foundation. It is shown that both situations may still admit low-frequency vibrations, under certain restrictions on the material properties. This is particularly remarkable given that the situation of elastic support normally possesses two nonzero cutoff frequencies. The results may be especially relevant for energy scavenging fabric devices, where very low-frequency ( $< 10$  Hz) mechanical vibrations of textile fibers are harvested through friction.

### 1. Introduction


Low-frequency mechanical vibrations of composite structures have been the object of extensive studies; see the classic textbooks [Graff 1975; Le 1999] and, for a modern account, [Wang and Wang 2013]. In recent years, a revival of interest in the subject has been taking place owing to the appearance of new applications connected to the development of multiphase or multilayered structures with high contrast in the geometrical and mechanical properties. Alongside multilayered composite structures with high-contrast material parameters, which are currently widely used in various fields of civil and mechanical engineering [Horgan and Chan 1999; Elishakoff 2005], another promising application area is related to the rapidly developing field of metamaterials. Metamaterials are engineered materials endowed with unique properties, often stemming from the interplay of periodically arranged phases exhibiting extremely high contrast [Martin et al. 2012]. The same principle of phase periodicity is adopted to design and construct waveguides with tailored filtering properties [Gei et al. 2009; Piccolroaz and Movchan 2014; Kaplunov and Nobili 2016].

Mechanical vibrations arise naturally in a variety of environments and they can be harvested to power self-sustaining micro- and especially nanodevices. Despite high-frequency vibrations being very attractive in light of their high energy content, much greater interest lies in the exploitation of low-frequency vibrations for their ubiquitous character (body movements such as footsteps or heartbeat, wind or thermal generated vibrations, air flow and noise) [Song et al. 2006].

---

Nobili acknowledges financial support from the National Group of Mathematical Physics (GNFM-INdAM) through the “Progetto Giovani Ricercatori 2015” scheme, grant U2015/000125.

*Keywords:* low-frequency vibration, energy scavenging, contrast properties, strings.



**Figure 1.** Schematics of a textile energy harvester; compare [Qin et al. 2008, Figure 2a]. A microwire is wound around the vibrating string and frictional energy is harvested through pulling or vibrating. Note that friction causes (mechanical) tension to vary along the string.

Recently, textile fabric devices have been proposed as a mean of scavenging very low-frequency ( $< 10$  Hz) mechanical energy through the coupling of a vibrating string wound around by electrically coupled microwires [Qin et al. 2008; Nobili and Lanzoni 2010]. A device schematics is given in Figure 1, although other arrangements are equally possible. In this paper, we focus attention on low-frequency vibrations of a two-component piecewise-constant finite string, in an attempt to better elucidate the energy harvesting capability of the passive element in an energy scavenging device. For the best performance, the string is endowed with high contrast in the material and/or in the geometrical properties. Continuity conditions are assumed between the components.

The analysis is carried out for three types of boundary conditions, namely free-free, fixed-fixed and fixed-free (mixed) end conditions. It is shown that the low-frequency behavior is possible only for the case of mixed boundary conditions, which appears especially attractive for energy harvesting purposes.

A low-frequency perturbation approach is adopted to obtain the lowest eigenfrequency and the corresponding eigenform, whose character appears almost rigid-body like.

The analysis of the case of variable material parameters confirms that the low-frequency regime is accessible only in a fixed-free setup, although the almost rigid-body behavior is now restricted to the strong component. Finally, vibrations of a high-contrast two-component piecewise homogeneous string supported on a Winkler elastic foundation are considered [Nobili 2012]. In this case, the asymptotic approximation is carried out for frequencies standing in the vicinity of the cut-off frequency of the stronger component, which still can be made very small under some conditions on the ratios of the geometrical and mechanical properties.

It is worth mentioning that the eigenfrequencies of a composite string correspond to the lowest cutoff frequencies for a plate (or a shell) from the standpoint of 3D elasticity [Kaplunov 1995]. The same analogy can be extended to incorporate the effects of prestress [Kaplunov et al. 2002] and anisotropy [Kaplunov et al. 2000].

The paper is organized as follows. In Section 2, three types of boundary conditions for the ends of the string are considered and it is revealed that the low-frequency regime is possible only in the case of free-fixed boundary conditions. A restriction on the material parameters entailing such behavior is also obtained. In Section 3, a perturbative approach is first conducted on piecewise homogeneous string and then extended to the case of variable material properties. It is shown that, although the almost rigid-body eigenbehavior retrieved in the former case is lost in the latter, low-frequency vibrations are still admissible under suitable conditions. The effect of an elastic support is considered in Section 4 and it brings a cutoff frequency which may be greatly decreased. Finally, conclusions are drawn in Section 5.

## 2. Frequency equation for a two-component string

Let us consider a finite linear string made of two-components, named 1 and 2, with high material and geometric contrast parameters. The length of the components is  $h_1$  and  $h_2$ . Let the  $x$  axis be taken to lie along the string with the origin coinciding with the interface between the two components (see Figure 2).

The governing equation of the string in harmonic motion is

$$\frac{d^2 u_i}{dx^2} + \frac{\omega^2}{c_i^2} u_i = 0, \quad i = 1, 2, \quad (2-1)$$

where  $u_i$  is the transverse displacement in the relevant component of the string,  $T_i$  and  $c_i = \sqrt{T_i/\rho_i}$  the corresponding string tension and wave speed,  $\rho_i$  the linear mass density and  $\omega > 0$  the vibration frequency [Wang and Wang 2013, Chapter 2]. The conditions enforcing displacement and traction continuity at the interface between the components are given by

$$u_1(0) = u_2(0), \quad T_1 \frac{du_1}{dx}(0) = T_2 \frac{du_2}{dx}(0). \quad (2-2)$$

Let introduce the following notation for the ratios of the material parameters in the two components of the string:

$$T = \frac{T_1}{T_2}, \quad h = \frac{h_1}{h_2}, \quad \rho = \frac{\rho_1}{\rho_2}, \quad c = \frac{c_1}{c_2}, \quad (2-3)$$

together with the nondimensional frequency parameters

$$\lambda_i = \frac{\omega}{c_i} h_i > 0, \quad i = 1, 2. \quad (2-4)$$


It is observed that the parameters  $\lambda_1$  and  $\lambda_2$  are related through the connection

$$\lambda_2 = \frac{1}{h} \sqrt{\frac{T}{\rho}} \lambda_1. \quad (2-5)$$

The general solution of the constant coefficient linear ODEs (2-1) is given by

$$\begin{aligned} u_1(x) &= A \cos\left(\lambda_1 \frac{x}{h_1}\right) + B \sin\left(\lambda_1 \frac{x}{h_1}\right), & 0 \leq x \leq h_1, \\ u_2(x) &= C \cos\left(\lambda_2 \frac{x}{h_2}\right) + D \sin\left(\lambda_2 \frac{x}{h_2}\right), & -h_2 \leq x \leq 0, \end{aligned} \quad (2-6)$$

where  $A, B, C, D$  are arbitrary constants.



**Figure 2.** A two-component fixed-free string. The tension jump  $T_1 - T_2$  approximate the effect of friction with the microwire (see Figure 1); a more refined model considering continuous variation of the tension is discussed in Section 3B.

For a one-parameter asymptotic analysis, the small positive quantity  $\varepsilon$  is introduced as follows:

$$\varepsilon = \frac{T}{h} \ll 1. \quad (2-7)$$

Besides, let

$$\eta = \frac{T}{c} = \sqrt{T\rho}, \quad (2-8)$$

whence (2-5) gives the connection

$$\lambda_2 = \frac{\varepsilon}{\eta} \lambda_1. \quad (2-9)$$

We shall consider three types of end conditions for the string and, in each case, investigate the possibility for low-frequency vibrations.

**2A. Traction free end conditions.** The boundary conditions for a string with traction free ends can be written in the form

$$\frac{du_1}{dx}(h_1) = 0 \quad \text{and} \quad \frac{du_2}{dx}(-h_2) = 0. \quad (2-10)$$

Substituting the general solution (2-6) into the boundary conditions (2-10) and into the continuity relations (2-2) we arrive at a homogeneous system of algebraic equations which is linear in the integration constants. As well known, such system possesses nontrivial solution provided that the determinant of the associated coefficient matrix is equal to zero, namely

$$\begin{vmatrix} -\sin \lambda_1 & \cos \lambda_1 & 0 & 0 \\ 0 & 0 & \sin \lambda_2 & \cos \lambda_2 \\ 1 & 0 & -1 & 0 \\ 0 & \eta & 0 & -1 \end{vmatrix} = 0. \quad (2-11)$$

Such requirement leads to the frequency equation

$$\eta \tan \lambda_1 + \tan \lambda_2 = 0, \quad (2-12)$$

which, clearly, cannot sustain low-frequency vibrations (i.e., vibrations at  $\lambda_1, \lambda_2 \ll 1$ ) unless materials with exotic properties, like negative density, are considered (see, for example, [Martin et al. 2012] and references therein).

**2B. Fixed end conditions.** The situation of a string with fixed ends is now considered. In this case, the boundary conditions (2-10) are replaced by

$$u_1(h_1) = 0 \quad \text{and} \quad u_2(-h_2) = 0. \quad (2-13)$$

Following the usual procedure, we arrive at the frequency equation

$$\tan \lambda_1 + \eta \tan \lambda_2 = 0, \quad (2-14)$$

which closely resembles (2-12). Hence, low-frequency vibrations in a string with fixed ends cannot be achieved. However, an interesting remark appears in [Wang and Wang 2013], where it is observed that, in the case of a fixed-fixed two-segment string, the eigenfrequency is a decreasing function of the density ratio  $\rho$ .

**2C. Fixed-free ends.** Let us consider yet another type of boundary conditions, namely the fixed-free end conditions, wherein

$$u_1(h_1) = 0 \quad \text{and} \quad \frac{du_2}{dx}(-h_2) = 0. \quad (2-15)$$

The frequency equation may be written as

$$\tan \lambda_1 \tan \lambda_2 = \eta.$$

In the low-frequency regime, characterized by  $\lambda_1 \ll 1$  and  $\lambda_2 \ll 1$ , the frequency equation is approximated by

$$\lambda_1 \lambda_2 = \eta,$$

or, employing the connection (2-9), by the following condition on  $\lambda_1$ :

$$\lambda_1 = \frac{\eta}{\sqrt{\varepsilon}} \ll 1. \quad (2-16)$$

Clearly, (2-9) demands

$$\lambda_2 = \sqrt{\varepsilon} \ll 1. \quad (2-17)$$

According to the definitions (2-7) and (2-8), the (order) inequalities (2-16) and (2-17) amount to

$$\rho h \ll 1 \quad \text{and} \quad \frac{T}{h} \ll 1, \quad (2-18)$$

respectively. In particular, the first inequality may be rewritten in term of masses as

$$m_1 = \rho_1 h_1 \ll \rho_2 h_2 = m_2;$$

that is, the mass of one string component must be much smaller than the other's (note that 1 and 2 are interchangeable). Together, the inequalities (2-18) require

$$\eta^2 \ll \varepsilon \ll 1,$$

which, by the definitions (2-7) and (2-8), gives a single condition on the geometric/mechanical parameters allowing for low-frequency vibrations, namely

$$T \ll h \ll \frac{1}{\rho}. \quad (2-19)$$

Low-frequency vibrations may arise, for example, in a string with soft and light part 1, while part 2 is stiff and heavy, i.e.,  $T_1 \ll T_2$  and  $\rho_1 \ll \rho_2$ . Besides, the corresponding string component lengths,  $h_1$  and  $h_2$ , need be chosen of the same order of magnitude, i.e.,  $h_1/h_2 \sim 1$ .

### 3. Asymptotic analysis of low-frequency vibrations in a composite string with free-fixed ends

The study of the frequency equation carried out in Section 2 leads to the conclusion that low-frequency vibrations are only possible for a string with free-fixed end conditions, provided some restriction on the material parameter ratios is met. For a more refined analysis, a low-frequency asymptotic approximation is now employed. A constant coefficient boundary-value problem is considered first and then results are generalized to the variable coefficients situation.

**3A. Piecewise homogeneous string.** For a two-component string with homogeneous material parameters, the equations of motion (2-1) hold together with the boundary conditions (2-10) and the continuity relations (2-2) at the interface. We restrict our attention to low-frequency vibrations at  $\eta \sim \varepsilon$ , whence  $\lambda_1 \sim \lambda_2 \sim \sqrt{\varepsilon}$ . To this aim, let

$$\eta = \alpha \varepsilon, \quad \text{where } \alpha = O(1). \quad (3-1)$$

Hence, the connection (2-9) between  $\lambda_1$  and  $\lambda_2$  now reads

$$\lambda_2 = \alpha^{-1} \lambda_1. \quad (3-2)$$

Let us introduce nondimensional spatial variables in each component of the string

$$\xi_1 = \frac{x}{h_1} \in [0, 1] \quad \text{and} \quad \xi_2 = \frac{x}{h_2} \in [-1, 0].$$

Then, our boundary-value problem may be rewritten in terms of the dimensionless variables

$$\frac{d^2 u_i^*}{d\xi_i^2} + \lambda_i^2 u_i^* = 0, \quad i = 1, 2, \quad (3-3)$$

together with the fixed-free end conditions

$$u_1^*(1) = 0, \quad \frac{du_2^*}{d\xi_2}(-1) = 0$$

and the continuity conditions

$$u_1^*(0) = u_2^*(0), \quad \varepsilon \frac{du_1^*}{d\xi_1}(0) = \frac{du_2^*}{d\xi_2}(0)$$

at the interface  $\xi_1 = \xi_2 = 0$ . Here, it is let  $u_i^*(\xi_i) = u_i(x/h_i)$ ,  $i = 1, 2$ . Assuming for  $u_i^*$  a regular asymptotic expansion in the small parameter  $\varepsilon$ , we write

$$u_i^* = u_i^{(0)} + \varepsilon u_i^{(1)} + \varepsilon^2 u_i^{(2)} + O(\varepsilon^3), \quad i = 1, 2, \quad (3-4)$$

while, in the low-frequency regime, it is

$$\lambda_1^2 = \varepsilon(\Lambda_0 + \varepsilon \Lambda_1 + \varepsilon^2 \Lambda_2 + O(\varepsilon^3)). \quad (3-5)$$

Clearly,  $\lambda_2$  follows from the connection (3-2).

**3A.1. Leading order problem.** At the leading order, the equations of motion (3-3) give

$$\begin{aligned} u_1^{(0)} &= A_0 \xi_1 + B_0, \\ u_2^{(0)} &= C_0 \xi_2 + D_0, \end{aligned}$$

where  $A_0$ ,  $B_0$ ,  $C_0$  and  $D_0$  are integration constants. Using the boundary and continuity conditions, we arrive at

$$u_1^{(0)} = D_0(1 - \xi_1), \quad (3-6a)$$

$$u_2^{(0)} = D_0, \quad (3-6b)$$

which shows a local rigid-body behavior (rotation for 1 and translation for 2). Given that frequency cannot be derived at this stage, we need proceed to the next order.

**3A.2. First-order problem.** At the first order, compatibility gives the leading-order frequency term

$$\Lambda_0 = \alpha^2,$$

whereupon

$$\lambda_1^2 = \alpha^2 \varepsilon (1 + O(\varepsilon)), \quad \lambda_2^2 = \varepsilon (1 + O(\varepsilon)).$$

Expressions for first-order correction to displacements,  $u_1^{(1)}$  and  $u_2^{(1)}$ , take up the form:

$$\begin{aligned} u_1^{(1)} &= \frac{1}{6} \alpha^2 D_0 (1 - \xi_1) (2 - \xi_1) \xi_1 + D_1 (1 - \xi_1), \\ u_2^{(1)} &= -D_0 \xi_2 \left( \frac{\xi_2}{2} + 1 \right) + D_1, \end{aligned}$$

where  $D_1$  is yet another integration constant.

**3A.3. Second order.** At the second order, compatibility yields the first-order correction to the frequency

$$\Lambda_1 = -\frac{\alpha^2 (1 + \alpha^2)}{3},$$

and we arrive at the expansion

$$\lambda_1^2 = \varepsilon \alpha^2 \left( 1 - \frac{1 + \alpha^2}{3} \varepsilon + O(\varepsilon^2) \right).$$

**3B. Piecewise inhomogeneous string.** It is now assumed that the material properties of each component of the string are no longer constant along the length, namely  $T_i = T_i(x) > 0$ ,  $\rho_i = \rho_i(x) > 0$ ,  $i = 1, 2$ . The equation for harmonic transverse vibrations [Wang and Wang 2013] are

$$\frac{d}{dx} \left( T_i(x) \frac{du_i}{dx} \right) + \rho_i(x) \omega^2 u_i = 0, \quad i = 1, 2, \quad (3-7)$$

while the fixed-free boundary conditions (2-15), together with the continuity relations (2-2), hold. It is expedient to introduce the nondimensional quantities

$$T_i^*(\xi_i) = \frac{T_i(x)}{T_i(0)}, \quad \rho_i^*(\xi_i) = \frac{\rho_i(x)}{\rho_i(0)}, \quad i = 1, 2, \quad (3-8)$$

as well as the ratios


$$T = \frac{T_1(0)}{T_2(0)}, \quad \rho = \frac{\rho_1(0)}{\rho_2(0)}. \quad (3-9)$$

In terms of the dimensionless coordinates  $\xi_i$ , (3-7) becomes

$$\frac{d}{d\xi_i} \left( T_i^*(\xi_i) \frac{du_i^*}{d\xi_i} \right) + \lambda_i^2 \rho_i^*(\xi_i) u_i^* = 0, \quad (3-10)$$

where

$$\lambda_i^2 = \frac{\omega^2 h_i^2 \rho_i(0)}{T_i(0)}, \quad i = 1, 2, \quad (3-11)$$



**Figure 3.** Leading order eigenforms for  $T_1^*(\xi_1) = 1 + A^2\xi_1^2$  and  $T_2^*(\xi_2) = 1$  at  $A = 0.1$  (solid),  $A = 1$  (dashed) and  $A = 10$  (dot-dashed).

and the connection (3-2) still holds. The boundary conditions give

$$u_1^*(1) = 0, \quad \frac{du_2^*}{d\xi_2}(-1) = 0,$$

while continuity at the interface reads

$$u_1^*(0) = u_2^*(0), \quad \varepsilon \frac{du_1^*}{d\xi_1}(0) = \frac{du_2^*}{d\xi_2}(0),$$

where the small parameter  $\varepsilon$  is introduced as at (2-7). Solution of this boundary value problem is taken in the form of the asymptotic expansions (3-4) and (3-5) for  $u_i^*$  and  $\lambda_1$ , respectively.

At the leading order we obtain

$$u_1^{(0)}(\xi_1) = D_0 \left( 1 - \frac{\phi_1(\xi_1)}{\phi_1(1)} \right), \quad (3-12a)$$

$$u_2^{(0)}(\xi_2) = D_0, \quad (3-12b)$$

where  $D_0$  is an integration constant and we have let

$$\phi_i(\xi_i) = \int_0^{\xi_i} \frac{dt}{T_i^*(t)}, \quad i = 1, 2. \quad (3-13)$$


In order to better illustrate the leading-order expressions for the first eigenform (3-12), a string with quadratic and constant behavior for the dimensionless tensions  $T_1^*$  and  $T_2^*$  is considered, i.e.,

$$T_1^*(\xi_1) = 1 + A^2\xi_1^2 \quad \text{and} \quad T_2^*(\xi_2) = 1.$$

Then, it is

$$\phi_1(\xi_1) = \frac{1}{|A|} \arctan(|A|\xi_1) \quad \text{and} \quad \phi_2(\xi_2) = \xi_2.$$

In Figure 3, the leading-order expressions for the first eigenform, given by Equations (3-12), are plotted at three values of the parameter  $A$ . As expected, the locally rigid-body behavior is retrieved for small



**Figure 4.** A two-component free-fixed string supported by a Winkler elastic foundation. The foundation is introduced to account for an embedding elastic matrix

values of  $A$ . However, it is perhaps less obvious that large values of  $A$  lead to a step function. Besides, we further observe that the transformation  $u_i^*(\xi_i) = U_i^*(z_i)$ , with the mapping

$$\xi_i \mapsto z_i \mid z_i(\xi_i) = \frac{\phi_i(\xi_i)}{\phi_i((-1)^{i+1})},$$

can be used to turn the variable coefficient problem (3-10) into Liouville's normal form [Horgan and Chan 1999; Wang and Wang 2013].

Bringing the analysis one step further, we obtain the displacement first-order correction

$$u_1^{(1)}(\xi_1) = D_0 \Lambda_0 \left( \frac{1}{\phi_1(1)} \int_0^{\xi_1} \frac{\int_0^{\sigma_2} \rho_1^*(\sigma_1) \phi_1(\sigma_1) d\sigma_1}{T_1^*(\sigma_2)} d\sigma_2 - \Phi_1(\xi_1) \right) + A_1^{(1)} \phi_1(\xi_1) + B_1^{(1)},$$

$$u_2^{(1)}(\xi_2) = -D_0 \Lambda_0 \frac{1}{\alpha^2} \Phi_2(\xi_2) + C_1^{(1)} \phi_2(\xi_2) + D_1^{(1)},$$

being

$$\Phi_i(\xi) = \int_0^\xi \frac{\int_0^{\sigma_2} \rho_i^*(\sigma_1) d\sigma_1}{T_i^*(\sigma_2)} d\sigma_2, \quad i = 1, 2.$$

Here, compatibility gives the leading-order term in the frequency expansion

$$\Lambda_0 = \frac{\alpha^2}{\phi_1(1)m_2^*},$$

having set the dimensionless mass of the 2-component

$$m_2^* = \int_{-1}^0 \rho_2^*(\sigma_1) d\sigma_1.$$

Clearly, the expression for  $\lambda_2$  may be readily obtained from (3-2).

#### 4. Piecewise homogeneous string on a Winkler foundation

In this section, near-zero frequency vibrations of a two-component piecewise homogeneous string on a Winkler foundation are considered (Figure 4).

The equations of motion for a string on a Winkler foundation [Graff 1975] are

$$\frac{d^2 u_i}{dx^2} + \left( \frac{\omega^2}{c_i^2} - \frac{\kappa}{T_i} \right) u_i = 0, \quad i = 1, 2, \quad (4-1)$$

where  $\kappa$  is the Winkler foundation modulus (whose physical dimensions are force over length squared).

These equations clearly show that local cutoff frequencies exist [Kaplunov and Nobili 2015], namely

$$\omega_{\text{cutoff}_i}^2 = \frac{\kappa}{\rho_i},$$

such that harmonic vibrations are possible only whenever  $\omega > \max(\omega_{\text{cutoff}_1}, \omega_{\text{cutoff}_2})$ . Equations (4-1) are most conveniently put in dimensionless form

$$\frac{d^2 u_i}{d\xi_i^2} + \gamma_i^2 u_i = 0, \quad i = 1, 2, \quad (4-2)$$

where it is let

$$\gamma_i^2 = \lambda_i^2 - \beta_i^2 \quad \text{and} \quad \beta_i^2 = \frac{h_i^2}{T_i} \kappa, \quad i = 1, 2. \quad (4-3)$$

It is remarked that the  $\lambda_i$  are defined according to (2-4) and therefore the connection (2-9) still holds. Obviously, we demand  $\lambda_i > \beta_i$  for global vibrations to take place, which shows that  $\beta_i$  are the dimensionless local cutoff frequencies. Furthermore, the connection

$$\beta_2^2 = \frac{\varepsilon}{h} \beta_1^2 \quad (4-4)$$

stands between  $\beta_1$  and  $\beta_2$ . The general solution of the ODEs (4-2) is given by

$$u_1(\xi_1) = A \cos(\gamma_1 \xi_1) + B \sin(\gamma_1 \xi_1), \quad 0 \leq \xi_1 \leq 1, \quad (4-5a)$$

$$u_2(\xi_2) = C \cos(\gamma_2 \xi_2) + D \sin(\gamma_2 \xi_2), \quad -1 \leq \xi_2 \leq 0, \quad (4-5b)$$

where  $A, B, C, D$  are arbitrary constants. As in the case of a string with homogeneous parameters, we shall consider three types of boundary conditions, namely free-free, fixed-fixed and fixed-free end conditions. The frequency equation for harmonic vibrations of a string is, for the case of fixed ends,

$$\varepsilon \frac{\gamma_1}{\gamma_2} \tan \gamma_1 + \tan \gamma_2 = 0,$$

while, for the case of free ends, it is

$$\varepsilon \frac{\gamma_1}{\gamma_2} \tan \gamma_2 + \tan \gamma_1 = 0.$$

Clearly, both equations do not allow for low-frequency vibrations. Conversely, the frequency equation for the fixed-free case reads

$$\varepsilon \frac{\gamma_1}{\gamma_2} = \tan \gamma_1 \tan \gamma_2, \quad (4-6)$$

which may admit low-frequency vibrations. Indeed, assuming  $\gamma_1$  and  $\gamma_2$  small — which amounts to considering near-cutoff vibrations (see also [Craster et al. 2010]) — we get

$$\gamma_2^2 = \varepsilon + O(\varepsilon^3),$$

whence the condition for  $\gamma_2$  to be small is given by

$$\varepsilon = T/h \ll 1. \quad (4-7)$$

The (squared) scaled frequency  $\lambda_2^2$  is readily obtained from (4-3) through shifting by the local cutoff frequency  $\beta_2^2$ , i.e.,

$$\lambda_2^2 = \beta_2^2 + \varepsilon + O(\varepsilon^3),$$

which, in light of (4-4), is enough for low-frequency vibrations of the 2-component (assuming that  $\beta_1$  is of order unity or smaller and  $h$  of order unity or larger). In order to achieve global low-frequency vibrations, we demand  $\lambda_1$  to be small as well and, using the connections (2-9), this requires

$$\lambda_1^2 = \frac{\eta^2}{\varepsilon} \left( \frac{\beta_1^2}{h} + 1 + O(\varepsilon^2) \right) \ll 1, \quad (4-8)$$

which amounts to the condition

$$(\beta_1^2 + h)\rho \ll 1. \quad (4-9)$$

Similarly to what was chosen in Section 3, this condition may be fulfilled taking, for instance,

$$\eta = \eta_0 \varepsilon. \quad (4-10)$$

It remains to be seen whether  $\gamma_1$  is also small as it was initially assumed. To this aim, using the definition (4-3), we further demand that

$$0 < \beta_1^2(\rho - 1) + \rho h \ll 1. \quad (4-11)$$

Together, Equations (4-9) and (4-11) imply

$$\beta_1^2 < (\beta_1^2 + h)\rho \ll 1,$$

whereupon  $\beta_1$  needs also be a small quantity. For instance, we could set

$$\beta_1 = \varepsilon \beta_0. \quad (4-12)$$

Leading order asymptotic expansions for the displacement may be equally well derived. To this end, we first write the eigenforms  $u_1$  and  $u_2$  through introducing the general solution (4-5) into the fixed-free boundary conditions (2-15) and into the continuity relations (2-2)

$$\begin{aligned} u_1(\xi_1) &= D(\sin(\gamma_1 \xi_1) - \tan(\gamma_1) \cos(\gamma_1 \xi_1)), \\ u_2(\xi_2) &= D \left( \varepsilon \frac{\gamma_1}{\gamma_2} \sin(\gamma_2 \xi_2) - \tan(\gamma_1) \cos(\gamma_2 \xi_2) \right), \end{aligned}$$

where it is understood that  $\gamma_1$  and  $\gamma_2$  are related through the frequency Equation (4-6). Then, we introduce the smallness assumptions (4-10) and (4-12) together with the expansion (4-8) for  $\lambda_1$  and proceed to expand in the small parameter  $\varepsilon$ . Thus, the asymptotic expansion for the eigenform is obtained:

$$\begin{aligned} u_1 &= D(1 - \xi_1) + O(\varepsilon), \\ u_2 &= D + O(\varepsilon). \end{aligned}$$

It is perhaps surprising to observe that, under the smallness assumptions, the presence of the Winkler foundation does not alter the leading-order shape of the eigenforms (see Equations (3-6)), and a local rigid body-motion is again retrieved.

## 5. Conclusions

Very low-frequency vibrations in a two-component high-contrast string have been investigated for the case of fixed-fixed, free-free and free-fixed boundary conditions, in an attempt to enhance the energy scavenging capability of the soft element in a fabric device. It is shown that low-frequency vibrations are achievable only for the case of fixed-free end conditions, which seems especially apt at harvesting low-power energy sources. Besides, conditions on the material and geometrical property ratios were given in order to sustain near-zero frequency vibrations. Piecewise constant as well as variable material parameters are considered. In the former case, the exact solution is obtainable and an almost rigid-body motion is found. The almost rigid-body behavior is especially welcome as it warrants little wear in the system. Conversely, the latter situation can only be addressed in an approximate way, through a two-scale approach, and it is shown that, although the almost rigid body behavior is generally lost, low-frequency vibrations can still be sustained, provided that suitable conditions on the material parameters hold. The question whether low-frequency vibrations may be still admitted in a soft element supported by a Winkler foundation was then addressed, because energy harvesters may be embedded in an elastic matrix. In this case, the soft string is assumed piecewise constant and an exact solution is obtained. As expected, two cutoff frequencies appear which, however, may be brought close to zero under suitable smallness assumptions on the material parameter ratios. A somewhat surprising result is obtained, for the local rigid-body character of the leading-order expressions for the eigenforms, already met in the unsupported case, is again retrieved. It is finally observed that our results apply equally well to the analysis of low-frequency vibrations in composite plates and shells treated within the framework of 3D elasticity. For example, in case of a two-layered elastic plate, the eigenfrequencies  $\lambda_1$ ,  $\lambda_2$  would be associated with the lowest cutoff frequencies; see, for instance, [Kaplunov et al. 1998; Le 1999].

## 6. Acknowledgements

Fruitful discussions with Dr. D. A. Prikazchikov are also gratefully acknowledged.

## References

- [Craster et al. 2010] R. V. Craster, J. Kaplunov, and A. V. Pichugin, “High-frequency homogenization for periodic media”, *Proc. R. Soc. Lond. A* **466**:2120 (2010), 2341–2362.
- [Elishakoff 2005] I. Elishakoff, *Eigenvalues of inhomogeneous structures: unusual closed-form solutions*, CRC Press, Boca Raton, FL, 2005.
- [Gei et al. 2009] M. Gei, A. B. Movchan, and D. Bigoni, “Band-gap shift and defect-induced annihilation in prestressed elastic structures”, *J. Appl. Phys.* **105**:6 (2009), 063507.
- [Graff 1975] K. F. Graff, *Wave motion in elastic solids*, reprinted 1991, Dover, Mineola, NY ed., Clarendon Press, Oxford, 1975.
- [Horgan and Chan 1999] C. O. Horgan and A. M. Chan, “Vibration of inhomogeneous strings, rods and membranes”, *J. Sound Vib.* **225**:3 (1999), 503 – 513.
- [Kaplunov 1995] J. D. Kaplunov, “Long-wave vibrations of a thin-walled body with fixed faces”, *Quart. J. Mech. Appl. Math.* **48**:3 (1995), 311–327.
- [Kaplunov and Nobili 2015] J. D. Kaplunov and A. Nobili, “The edge waves on a Kirchhoff plate bilaterally supported by a two-parameter elastic foundation”, *J. Vib. Control* (2015), 1–9.

- [Kaplunov and Nobili 2016] J. D. Kaplunov and A. Nobili, “Multi-parametric analysis of strongly inhomogeneous periodic waveguides with internal cutoff frequencies”, *Math. Methods Appl. Sci.* (2016). To appear.
- [Kaplunov et al. 1998] J. D. Kaplunov, L. Y. Kossovich, and E. V. Nolde, *Dynamics of thin walled elastic bodies*, Academic Press, San Diego, CA, 1998.
- [Kaplunov et al. 2000] J. D. Kaplunov, L. Y. Kossovich, and G. A. Rogerson, “Direct asymptotic integration of the equations of transversely isotropic elasticity for a plate near cut-off frequencies”, *Quart. J. Mech. Appl. Math.* **53**:2 (2000), 323–341.
- [Kaplunov et al. 2002] J. D. Kaplunov, E. V. Nolde, and G. A. Rogerson, “An asymptotically consistent model for long-wave high-frequency motion in a pre-stressed elastic plate”, *Math. Mech. Solids* **7**:6 (2002), 581–606.
- [Le 1999] K. C. Le, *Vibrations of shells and rods*, Springer, Berlin, 1999.
- [Martin et al. 2012] T. P. Martin, C. N. Layman, K. M. Moore, and G. J. Orris, “Elastic shells with high-contrast material properties as acoustic metamaterial components”, *Phys. Rev. B* **85** (2012), 161103.
- [Nobili 2012] A. Nobili, “Superposition principle for the tensionless contact of a beam resting on a Winkler or a Pasternak foundation”, *J. Eng. Mech. (ASCE)* **139**:10 (2012), 1470–1478.
- [Nobili and Lanzoni 2010] A. Nobili and L. Lanzoni, “Electromechanical instability in layered materials”, *Mech. Mater.* **42**:5 (2010), 581 – 591.
- [Piccolroaz and Movchan 2014] A. Piccolroaz and A. B. Movchan, “Dispersion and localisation in structured Rayleigh beams”, *Int. J. Solids Struct.* **51**:25–26 (2014), 4452–4461.
- [Qin et al. 2008] Y. Qin, X. Wang, and Z. L. Wang, “Microfibre–nanowire hybrid structure for energy scavenging”, *Nature* **451**:7180 (2008), 809–813.
- [Song et al. 2006] J. Song, J. Zhou, and Z. L. Wang, “Piezoelectric and semiconducting coupled power generating process of a single ZnO belt/wire: a technology for harvesting electricity from the environment”, *Nano Lett.* **6**:8 (2006), 1656–1662.
- [Wang and Wang 2013] C. Y. Wang and C. M. Wang, *Structural vibration: exact solutions for strings, membranes, beams, and plates*, CRC Press, Boca Raton, FL, 2013.

Received 20 Nov 2015. Revised 29 Jan 2016. Accepted 7 Feb 2016.

ASKAR KUDAIBERGENOV: [as5kar@mail.ru](mailto:as5kar@mail.ru)

Department of Mathematical and Computer Modelling, al-Farabi Kazakh National University, 71 al-Farabi Avenue, Almaty, 480078, Kazakhstan

ANDREA NOBILI: [andrea.nobili@unimore.it](mailto:andrea.nobili@unimore.it)

DIEF - Dipartimento di Ingegneria “Enzo Ferrari”, Università di Modena e Reggio Emilia, Via Vignolese 905, I-41125 Modena, Italy

LUDMILLA PRIKAZCHIKOVA: [l.prikazchikova@keele.ac.uk](mailto:l.prikazchikova@keele.ac.uk)

School of Computing and Mathematics, Keele University, Keele, Staffordshire, ST5 5BG, United Kingdom



# JOURNAL OF MECHANICS OF MATERIALS AND STRUCTURES

msp.org/jomms

Founded by Charles R. Steele and Marie-Louise Steele

## EDITORIAL BOARD

ADAIR R. AGUIAR	University of São Paulo at São Carlos, Brazil
KATIA BERTOLDI	Harvard University, USA
DAVIDE BIGONI	University of Trento, Italy
YIBIN FU	Keele University, UK
IWONA JASIUK	University of Illinois at Urbana-Champaign, USA
C. W. LIM	City University of Hong Kong
THOMAS J. PENCE	Michigan State University, USA
GIANNI ROYER-CARFAGNI	Università degli studi di Parma, Italy
DAVID STEIGMANN	University of California at Berkeley, USA
PAUL STEINMANN	Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany

## ADVISORY BOARD

J. P. CARTER	University of Sydney, Australia
D. H. HODGES	Georgia Institute of Technology, USA
J. HUTCHINSON	Harvard University, USA
D. PAMPLONA	Universidade Católica do Rio de Janeiro, Brazil
M. B. RUBIN	Technion, Haifa, Israel

**PRODUCTION** production@msp.org

SILVIO LEVY Scientific Editor

---

See [msp.org/jomms](http://msp.org/jomms) for submission guidelines.

---

JoMMS (ISSN 1559-3959) at Mathematical Sciences Publishers, 798 Evans Hall #6840, c/o University of California, Berkeley, CA 94720-3840, is published in 10 issues a year. The subscription price for 2016 is US\$575/year for the electronic version, and \$735/year (+\$60, if shipping outside the US) for print and electronic. Subscriptions, requests for back issues, and changes of address should be sent to MSP.

---

JoMMS peer-review and production is managed by EditFLOW® from Mathematical Sciences Publishers.

PUBLISHED BY

 **mathematical sciences publishers**  
nonprofit scientific publishing

<http://msp.org/>

© 2016 Mathematical Sciences Publishers

# Journal of Mechanics of Materials and Structures

Volume 11, No. 3

May 2016

---

- An Eulerian formulation for large deformations of elastically isotropic elastic-viscoplastic membranes** M. B. RUBIN and BEN NADLER 197
- Physical meaning of elastic constants in Cosserat, void, and microstretch elasticity** RODERIC S. LAKES 217
- On low-frequency vibrations of a composite string with contrast properties for energy scavenging fabric devices** ASKAR KUDAIBERGENOV, ANDREA NOBILI and LUDMILLA PRIKAZCHIKOVA 231
- Wave propagation in layered piezoelectric rings with rectangular cross sections** JIANGONG YU, XIAODONG YANG and JEAN-ETIENNE LEFEBVRE 245
- Effective boundary condition method and approximate secular equations of Rayleigh waves in orthotropic half-spaces coated by a thin layer** PHAM CHI VINH and VU THI NGOC ANH 259
- Nonlocal forced vibration of a double single-walled carbon nanotube system under the influence of an axial magnetic field** MARIJA B. STAMENKOVIĆ, DANILO KARLIČIĆ, GORAN JANEVSKI and PREDRAG KOZIĆ 279
- A phase-field model of quasistatic and dynamic brittle fracture using a staggered algorithm** HAMDİ HENTATI, MARWA DHAHRI and FAKHREDDINE DAMMAK 309



1559-3959(2016)11:3;1-6