Pacific Journal of Mathematics

CORRECTION TO "SOME ERGODIC THEOREMS INVOLVING TWO OPERATORS"

PAUL CIVIN

Vol. 6, No. 4 1956

CORRECTION TO "SOME ERGODIC THEOREMS INVOLVING TWO OPERATORS"

Paul CIVIN

The argument used to establish Theorem 1 of [1] proves less than asserted. Let the notation be that of [1]. Theorem 3 is then a consequence only if $\mu(S) < \infty$ and therefore Theorems 4 and 5 must be withdrawn. The revised version of Theorem 1 is as follows.

THEOREM 1.1. Let t and u be nonsingular measurable transformations of S onto itself which have no wandering sets of positive measure. If for each f(x), $0 \le f(x) \le 1$, $\lim_{n\to\infty} \sum_{k=0}^{n} f(v^k x)/n$ exists almost everywhere $[\mu]$, then the conclusion of Theorem 1 holds.

By Theorem 3 of [2] there exists a finite t-invariant measure α and a finite u-invariant measure β , each equivalent to μ . The argument proceeds as before with these α and β . In Theorem 2, the α and β are also obtained as above.

The author is indebted to Professors Y. N. Dowker and S. Tsurumi for their communications.

REFERENCES

- 1. Paul Civin, Some ergodic theorems involving two operators, Pacific J. Math. 5 (1955), 869-876.
- Yeal Naim Dowker, Finite and σ-finite invariant measures, Ann. Math. 54 (1951), 595–608.

PACIFIC JOURNAL OF MATHEMATICS

EDITORS

H. L. ROYDEN

Stanford University Stanford, California

E. HEWITT

University of Washington Seattle 5, Washington

R. P. DILWORTH

California Institute of Technology

Pasadena 4. California

E. G. STRAUS

University of California Los Angeles 24, California

ASSOCIATE EDITORS

E. F. BECKENBACH

C. E. BURGESS H. BUSEMANN H. FEDERER

M. HALL P. R. HALMOS V. GANAPATHY IYER

R. D. JAMES

M. S. KNEBELMAN I. NIVEN

J. J. STOKER G. SZEKERES F. WOLF

T. G. OSTROM M. M. SCHIFFER K. YOSIDA

SUPPORTING INSTITUTIONS

UNIVERSITY OF BRITISH COLUMBIA CALIFORNIA INSTITUTE OF TECHNOLOGY UNIVERSITY OF CALIFORNIA MONTANA STATE UNIVERSITY UNIVERSITY OF NEVADA OREGON STATE COLLEGE UNIVERSITY OF OREGON

UNIVERSITY OF SOUTHERN CALIFORNIA

STANFORD UNIVERSITY UNIVERSITY OF UTAH WASHINGTON STATE COLLEGE UNIVERSITY OF WASHINGTON

AMERICAN MATHEMATICAL SOCIETY CALIFORNIA RESEARCH CORPORATION HUGHES AIRCRAFT COMPANY

Mathematical papers intended for publication in the Pacific Journal of Mathematics should be typewritten (double spaced), and the author should keep a complete copy. Manuscripts may be sent to any of the editors. Manuscripts intended for the outgoing editors should be sent to their successors. All other communications to the editors should be addressed to the managing editor, E. G. Straus at the University of California, Los Angeles 24, California,

50 reprints of each article are furnished free of charge; additional copies may be obtained at cost in multiples of 50.

The Pacific Journal of Mathematics is published quarterly, in March, June, September, and December. The price per volume (4 numbers) is \$12.00; single issues, \$3.50, Back numbers are available. Special price to individual faculty members of supporting institutions and to individual members of the American Mathematical Society: \$4.00 per volume; single issues,

Subscriptions, orders for back numbers, and changes of address should be sent to Pacific Journal of Mathematics, 2120 Oxford Street, Berkelev 4, California.

Printed at Kokusai Bunken Insatsusha (International Academic Printing Co., Ltd.), No. 10, 1-chome, Fujimi-cho, Chiyoda-ku, Tokyo, Japan.

PUBLISHED BY PACIFIC JOURNAL OF MATHEMATICS, A NON-PROFIT CORPORATION The Supporting Institutions listed above contribute to the cost of publication of this Journal, but they are not owners or publishers and have no responsibility for its content or policies.

Pacific Journal of Mathematics

Vol. 6, No. 4 , 1956

Seymour Ginsburg, On mappings from the family of well ordered subsets of		
a set		
Leon Ehrenpreis, Some properties of distributions on Lie groups		
Marion K. Fort, Jr., A geometric problem of Sherman Stein	(
Paul R. Garabedian, Calculation of axially symmetric cavities and jets	(
Walter Mossman Gilbert, Completely monotonic functions on cones	(
William L. Hart and T. S. Motzkin, A composite Newton-Raphson gradient		
method for the solution of systems of equations		
C. W. Mendel and I. A. Barnett, A functional independence theorem for		
square matrices		
Howard Ashley Osborn, <i>The problem of continuous programs</i>		
William T. Reid, Oscillation criteria for linear differential systems with complex coefficients		
Irma Reiner, On the two-adic density of representations by quadratic		
forms		
Shoichiro Sakai, <i>A characterization of W*-algebras</i>		
Robert Steinberg, <i>Note on a theorem of Hadwiger</i>		
J. Eldon Whitesitt, Construction of the lattice of complemented ideals within		
the unit group		
Paul Civin, Correction to "Some ergodic theorems involving two		
operators"		