

Pacific Journal of Mathematics

A NOTE ON THE CONTINUITY OF BEST POLYNOMIAL
APPROXIMATIONS

STANLEY POREDA

A NOTE ON THE CONTINUITY OF BEST POLYNOMIAL APPROXIMATIONS

S. J. POREDA

An example is given to show that while best uniform polynomial approximation in the complex plane is continuous, it is not in general uniformly continuous.

For a continuous complex valued function f defined on E , a compact set in the plane and $n \in \{0, 1, 2, \dots\}$, let $p_n(f, E)$ denote the polynomial of degree n of best uniform approximation to f on E and let $\|f\|_E$ denote the uniform norm of f on E . In [2] it was shown that for any such f and E there exists for each n and each β , $0 < \beta < 1/2$, a constant $M(n, \beta) > 0$ such that

$$\|p_n(f, E) - q_n\|_E \leq M(n, \beta)[\|f - q_n\|_E - \|f - p_n(f, E)\|_E]^{\beta},$$

where q_n is any polynomial of degree n . If we in fact let $M(n, \beta)$ denote the least such constant then we ask if the sequence $\{M(n, \beta)\}_{n=0}^{\infty}$ is bounded. The purpose of this note is to show that in general it is not.

Let $f(z) = 1/z$ and $E = U = \{|z| = 1\}$. Then $p_n(f, U) \equiv 0$ for $n = 0, 1, 2, \dots$. Now for each $k = 1, 2, \dots$ and each β , $0 < \beta < 1/2$, let $\Omega_{k,\beta}$ denote a simply connected Jordan region containing the origin such that

1. $\Omega_{k,\beta} \subset \{|z| < k^{\beta}\}$
2. $k^{\beta} \in \bar{\Omega}_{k,\beta}$
3. $\Omega_{k,\beta} \cap \{|z| > k(\beta - 1)/\beta\} \cap \{\operatorname{Re} z \leq 0\} = \emptyset$.

The region $\Omega_{k,\beta}$ can in fact be chosen to be a displaced ellipse. Furthermore, there exists a conformal map $g_{k,\beta}$ of the unit disc $\{|z| < 1\}$ onto $\Omega_{k,\beta}$ such that $g_{k,\beta}(0) = 0$. Furthermore $g_{k,\beta}$ will be continuous in $\{|z| \leq 1\}$ and map U onto the boundary of $\Omega_{k,\beta}$. As a consequence of these definitions we have that

$$\|1 - g_{k,\beta}(z)/k\|_U \leq 1 + (1/k)^{1/\beta}$$

and

$$\|g_{k,\beta}(z)/k\|_U = k^{\beta}/k.$$

Now there exists [1, p. 98] a polynomial p such that

$$\|g_{k,\beta}(z)/z - p(z)\|_U < k^{(\beta-1)/\beta}.$$

Thus

$$\|1/z - p(z)/k\|_U \leqq 1 + 2(1/k)^{1/\beta}$$

and

$$\|p(z)/k\|_U \geqq \frac{k^\beta - k^{(\beta-1)/\beta}}{k} = \frac{k^\beta - k^{(\beta-1)/\beta}}{2^\beta} \left(\frac{2^\beta}{k} \right).$$

Consequently, we see that for this particular choice of f and E , and for each $0 < \beta < 1/2$,

$$\lim_{n \rightarrow \infty} M(n, \beta) \geqq \lim_{k \rightarrow \infty} \left(\frac{k^\beta - k^{(\beta-1)/\beta}}{2^\beta} \right) = \infty.$$

REFERENCES

1. Gunter Meinardus, *Approximation of Functions: Theory and Numerical Methods*, Springer-Verlag, (1967).
2. S. J. Poreda, *On the continuity of best polynomial approximations*, Proc. Amer. Math. Soc., November, 1972.

Received September 28, 1972.

CLARK UNIVERSITY

PACIFIC JOURNAL OF MATHEMATICS

EDITORS

RICHARD ARENS (Managing Editor)
University of California
Los Angeles, California 90024

J. DUGUNDJI*
Department of Mathematics
University of Southern California
Los Angeles, California 90007

R. A. BEAUMONT
University of Washington
Seattle, Washington 98105

D. GILBARG AND J. MILGRAM
Stanford University
Stanford, California 94305

ASSOCIATE EDITORS

E. F. BECKENBACH

B. H. NEUMANN

F. WOLF

K. YOSHIDA

SUPPORTING INSTITUTIONS

UNIVERSITY OF BRITISH COLUMBIA
CALIFORNIA INSTITUTE OF TECHNOLOGY
UNIVERSITY OF CALIFORNIA
MONTANA STATE UNIVERSITY
UNIVERSITY OF NEVADA
NEW MEXICO STATE UNIVERSITY
OREGON STATE UNIVERSITY
UNIVERSITY OF OREGON
OSAKA UNIVERSITY

UNIVERSITY OF SOUTHERN CALIFORNIA
STANFORD UNIVERSITY
UNIVERSITY OF TOKYO
UNIVERSITY OF UTAH
WASHINGTON STATE UNIVERSITY
UNIVERSITY OF WASHINGTON
* * *
AMERICAN MATHEMATICAL SOCIETY
NAVAL WEAPONS CENTER

* C. R. DePrima California Institute of Technology, Pasadena, CA 91109, will replace J. Dugundji until August 1974.

Printed in Japan by International Academic Printing Co., Ltd., Tokyo, Japan

Pacific Journal of Mathematics

Vol. 51, No. 1

November, 1974

Zvi Arad, <i>π-homogeneity and π'-closure of finite groups</i>	1
Ivan Baggs, <i>A connected Hausdorff space which is not contained in a maximal connected space</i>	11
Eric Bedford, <i>The Dirichlet problem for some overdetermined systems on the unit ball in C^n</i>	19
R. H. Bing, Woodrow Wilson Bledsoe and R. Daniel Mauldin, <i>Sets generated by rectangles</i>	27
Carlo Cecchini and Alessandro Figà-Talamanca, <i>Projections of uniqueness for $L^p(G)$</i>	37
Gokulananda Das and Ram N. Mohapatra, <i>The non absolute Nörlund summability of Fourier series</i>	49
Frank Rimi DeMeyer, <i>On separable polynomials over a commutative ring</i>	57
Richard Detmer, <i>Sets which are tame in arcs in E^3</i>	67
William Erb Dietrich, <i>Ideals in convolution algebras on Abelian groups</i>	75
Bryce L. Elkins, <i>A Galois theory for linear topological rings</i>	89
William Alan Feldman, <i>A characterization of the topology of compact convergence on $C(X)$</i>	109
Hillel Halkin Gershenson, <i>A problem in compact Lie groups and framed cobordism</i>	121
Samuel R. Gordon, <i>Associators in simple algebras</i>	131
Marvin J. Greenberg, <i>Strictly local solutions of Diophantine equations</i>	143
Jon Craig Helton, <i>Product integrals and inverses in normed rings</i>	155
Domingo Antonio Herrero, <i>Inner functions under uniform topology</i>	167
Jerry Alan Johnson, <i>Lipschitz spaces</i>	177
Marvin Stanford Keener, <i>Oscillatory solutions and multi-point boundary value functions for certain nth-order linear ordinary differential equations</i>	187
John Cronan Kieffer, <i>A simple proof of the Moy-Perez generalization of the Shannon-McMillan theorem</i>	203
Joong Ho Kim, <i>Power invariant rings</i>	207
Gangaram S. Ladde and V. Lakshmikantham, <i>On flow-invariant sets</i>	215
Roger T. Lewis, <i>Oscillation and nonoscillation criteria for some self-adjoint even order linear differential operators</i>	221
Jürg Thomas Marti, <i>On the existence of support points of solid convex sets</i>	235
John Rowlay Martin, <i>Determining knot types from diagrams of knots</i>	241
James Jerome Metzger, <i>Local ideals in a topological algebra of entire functions characterized by a non-radial rate of growth</i>	251
K. C. O'Meara, <i>Intrinsic extensions of prime rings</i>	257
Stanley Poreda, <i>A note on the continuity of best polynomial approximations</i>	271
Robert John Sacker, <i>Asymptotic approach to periodic orbits and local prolongations of maps</i>	273
Eric Peter Smith, <i>The Garabedian function of an arbitrary compact set</i>	289
Arne Stray, <i>Pointwise bounded approximation by functions satisfying a side condition</i>	301
John St. Clair Werth, Jr., <i>Maximal pure subgroups of torsion complete abelian p-groups</i>	307
Robert S. Wilson, <i>On the structure of finite rings. II</i>	317
Kari Ylinen, <i>The multiplier algebra of a convolution measure algebra</i>	327