

involve

a journal of mathematics

Prime labelings of infinite graphs

Matthew Kenigsberg and Oscar Levin



Prime labelings of infinite graphs

Matthew Kenigsberg and Oscar Levin

(Communicated by Kenneth S. Berenhaut)

A finite graph on n vertices has a prime labeling provided there is a way to label the vertices with the integers 1 through n such that every pair of adjacent vertices has relatively prime labels. We extend the definition of prime labeling to infinite graphs and give a simple necessary and sufficient condition for an infinite graph to have a prime labeling. We then measure the complexity of prime labelings of infinite graphs using techniques from computability theory to verify that our condition is as simple as possible.

1. Introduction

A *graph labeling* is essentially an assignment of integers to the vertices (or sometimes edges or both) of a graph subject to certain conditions. In the last 50 or so years, a multitude of graph labelings have been described and studied. The dynamic survey [Gallian 1998] describes over 50 types of graph labelings with results drawn from over 2000 papers. All but a handful of these consider only *finite* graphs. Here we consider one type of graph labeling and see how we can extend the definition to infinite graphs, with the hope that understanding this limit case might shed some light on open problems for finite graphs.

For a finite graph $G(V, E)$, a *prime labeling* is a bijection $f : V \rightarrow \{1, 2, \dots, |V|\}$ such that for all $\{u, v\} \in E$, $f(u)$ and $f(v)$ are relatively prime ($\gcd(f(u), f(v)) = 1$). If a graph admits a prime labeling, we call the graph *prime*. This notion of graph labeling originates with Entringer, and was first described in a paper by Tout, Dabboucy, and Howalla [Tout et al. 1982]. Most of the results on prime labelings have been to show that large classes of graphs are in fact prime, but little is known in general. For example, Pikhurko [2007] proved that all trees with up to 50 vertices are prime. Recently Haxell, Pikhurko, and Taraz [Haxell et al. 2011] proved that all large trees are prime. However, the Entringer–Tout conjecture, that all trees are prime, remains open.

MSC2010: 05C78, 05C63, 05C85, 03D80.

Keywords: graph labelings, infinite graphs, prime labelings, computability theory.

A similar story emerges for another class of graphs: ladders ($P_n \square P_2$ for some n). T. Varkey conjectured in an unpublished work that all ladders are prime. Work on this question was done in [Berliner et al. 2016; Sundaram et al. 2006; 2007], and a recent preprint [Ghorbani and Kamali 2016] claims to prove the conjecture.

In this present work, we ask which *infinite* graphs admit prime labelings. As far as we know, this is the first attempt at such an investigation, although we note that other types of labelings have successfully been extended to infinite graphs, such as in [Combe and Nelson 2006] for magic labelings or [Chan et al. 2009] for graceful labelings. The latter is particularly interesting in that it classifies precisely which infinite trees have graceful labelings, despite the long open conjecture that all (finite) trees are graceful. In Section 4, we will similarly prove that all infinite trees and all infinite ladders are prime.

We will start in Section 2 with some preliminary definitions and notation. Then in Section 3 we give an algorithm which produces a prime labeling of many infinite graphs that have prime labelings. This will lead us to a classification theorem for which infinite graphs are prime, which we state and prove in Section 4. We consider issues of complexity in Section 5. Finally, we conclude with some open questions in Section 6.

2. Preliminaries

Before we can study prime labelings of infinite graphs, we must decide what exactly we mean by this. First, by an infinite graph $G = (V, E)$ we will always mean a countably infinite graph (while there are uncountable graphs, it does not make sense to label these with integers). We could safely take $V = \mathbb{N} = \{0, 1, 2, \dots\}$, but we will usually use v_0, v_1, v_2, \dots for the names of the vertices to avoid confusion with their labels. The edge set E will simply be a set of two-element subsets of V . Note this allows for finite or countably infinite numbers of edges, and does not prohibit vertices having infinite degree.

We will freely generalize standard notation for graphs to the infinite case: $K_{2,\infty}$, for example, will be the complete bipartite graph which has two vertices in one part and infinitely many in the other. The only time standard notation becomes ambiguous is with infinite paths: since P_n is a path with n edges, it makes sense to consider P_∞ as a path with infinitely many edges. However, there are two options here. The path could extend infinitely in both directions (a *two-way infinite path*) or just one (a *one-way infinite path*). We will use P_∞ to represent the one-way infinite path and not adopt a notation for the former.

It is then reasonable to extend the definition of prime labeling to infinite graphs as follows:

Definition. Given an infinite graph $G = (V, E)$, a *prime labeling* is a bijection $f : V \rightarrow \{1, 2, \dots\}$ such that $\gcd(f(u), f(v)) = 1$ for all $\{u, v\} \in E$.

In what follows, it will sometimes be useful to exclude 1 from the codomain. Following Vaidya and Prajapati [2011], who introduced and studied k -prime labelings for finite graphs, we define k -prime labelings of infinite graphs as follows:

Definition. Given an infinite graph $G = (V, E)$, a k -prime labeling is a bijection $f : V \rightarrow \{k, k+1, k+2, \dots\}$ such that $\gcd(f(u), f(v)) = 1$ for all $\{u, v\} \in E$.

Note that a 1-prime labeling is the same as a prime labeling. Thus trivially, every prime graph is k -prime for some k , and every graph that is k -prime for all k will be prime. We will see shortly that there are infinite graphs that are prime but not 2-prime. However, it turns out that every infinite 2-prime graph is k -prime for *all* k . This can be seen by considering an algorithm for producing a k -prime labeling, as we now proceed to do.

3. An algorithm for prime labelings

We begin by describing a procedure which we think is a reasonable way to produce a k -prime labeling of an infinite graph. As usual, we take the vertex set to be $V = \{v_0, v_1, \dots\}$.

We will proceed in stages, so that the every vertex is assigned some label at a finite stage, and in the limit, the labeling of the graph is k -prime. At the start of stage s , we will assume that we have labeled finite subsets $V_s \subseteq V$ without mistakes (i.e., the greatest common divisor of labels on any two adjacent vertices in V_s is 1), and proceed to find and label two vertices appropriately.

Algorithm 3.1. Proceed in stages.

Stage $s = 0$: label v_0 with k and set $V_1 = \{v_0\}$.

Stage $s > 0$: Given labeled $V_s \subset V$:

- (1) Find the least natural number i such that v_i is not adjacent to any vertex in V_s , and label it with the least integer greater than k not yet used as a label.
- (2) Find the least integer j such that v_j is unlabeled, and label it with a prime not yet used as a label, larger than any label of vertices adjacent to v_j .
- (3) Let $V_{s+1} = V_s \cup \{v_i, v_j\}$ and proceed to the next stage.

By design, this algorithm will always label adjacent vertices with numbers that are relatively prime. Since there are infinitely many prime numbers, it is always possible to complete step (2) of each stage. Thus, in order to show that this algorithm produces a k -prime labeling for a graph, it is only necessary to show that it is always possible to find a vertex v_i such that v_i is not adjacent to any vertex in V_s .

To illustrate the algorithm, we give some examples of infinite graphs that have prime labelings, as well as some that do not.




Figure 1. A (one-way) infinite ladder.




Figure 2. The result of the first eight stages of the algorithm.

Example 3.2. The graph $P_\infty \square P_2$ with vertices arranged as in Figure 1 receives a prime labeling from Algorithm 3.1.

The result of the first eight stages of the algorithm is shown in Figure 2. Since the graph extends infinitely, it will always be possible to find a vertex not adjacent to any of the already labeled vertices. This means the algorithm will produce a prime labeling.

Example 3.3. An infinite complete binary tree with vertices arranged as in Figure 3 receives a prime labeling from Algorithm 3.1.

Once again, it will always be possible to find a vertex not connected to the labeled part of the graph, so the algorithm produces a prime labeling. The result of the first four stages of the algorithm is shown in Figure 4.

Example 3.4. Algorithm 3.1 does not produce a prime labeling for an infinite star (the graph $K_{1,\infty}$).

In order to produce a prime labeling, the algorithm must label the center of the star. After labeling the center of the star, step (1) of the next stage will attempt to find the least natural number i such that v_i is not adjacent to any vertex in the set




Figure 3. The top of a complete infinite binary tree.




Figure 4. The labeling after four stages.

of already labeled vertices, which includes the center of the star. Since the center of the star is adjacent to all other vertices, this is impossible, and the algorithm will not produce a prime labeling.

Note that if the infinite vertex was removed from the graph, the algorithm could easily produce a 2-prime labeling for the resulting graph. If the center of the star was then labeled with 1, the union of the two labelings would be a prime labeling for $K_{1,\infty}$.

Example 3.5. Algorithm 3.1 does not produce a prime labeling for the infinite bipartite graph $K_{\infty,\infty}$.

To see this, consider any graph $K_{\infty,\infty}$. Let a be the least natural number such that the vertex v_a is adjacent to v_0 .

After a finite number of stages, v_a will be labeled. At the next stage, step (1) will look for the least natural number i such that v_i is not adjacent to any element of the set of labeled vertices $V_s \supset \{v_0, v_a\}$. Since every vertex is adjacent to either v_0 or v_a , this is not possible, and as such the algorithm will not be able to label the rest of the graph.

Unlike with the infinite star, there is no way to adjust the algorithm to produce a prime labeling of $K_{\infty,\infty}$.

Proposition 3.6. $K_{\infty,\infty}$ has no prime labeling.

Proof. Let $a \neq 1$ and $b \neq 1$ be any two labels of a pair of vertices in separate partite sets, and consider $n = ab$. Whatever vertex gets labeled with n (or indeed, any multiple of n) cannot be adjacent to either of the vertices labeled a or b . However, every vertex is adjacent to one of these vertices, a contradiction. Thus the graph has no prime labeling. \square

4. Classification of infinite graphs

We have seen that not all graphs have prime labelings. The issue illustrated in Proposition 3.6 demonstrates a particular obstruction, which we summarize in the

following lemma. Let $N(S)$ denote the set of vertices adjacent to one or more vertices in S (the *open neighborhood* of S) and $N[S] = N(S) \cup S$ (the *closed neighborhood* of S).

Lemma 4.1. *If an infinite graph $G = (V, E)$ has a finite set $S \subset V$, for which $N[S]$ contains all but finitely many vertices of G , then G does not have a k -prime labeling.*

Proof. Suppose G has a k -prime labeling, and consider such a finite set $S \subset V$. Let n be the product of the labels on the vertices of S . As such the infinitely many multiples of n must be assigned to vertices not in $N[S]$. Thus $N[S]$ cannot be cofinite, contrary to hypothesis. \square

Note that if S is finite and $N[S]$ is cofinite, then there is a finite set S' for which $N[S'] = V$ (add to S all finitely many elements not in $N[S]$). Such a set S' is called a *dominating set*. Thus another way to describe the obstruction to a graph having a k -prime labeling is to say the graph has a finite dominating set. We will see that graphs that avoid this obstruction will always have a k -prime labeling at least for each $k \geq 2$. Thus we make the following definition.

Definition. An infinite graph $G = (V, E)$ is called *finitely dominated* provided there is some finite dominating set S , that is, a finite S such that $N[S] = V$.

Theorem 4.2. *An infinite graph G has a k -prime labeling for $k \geq 2$ if and only if G is not finitely dominated.*

Proof. The forward direction is Lemma 4.1.

Conversely, if G is not finitely dominated, then for any finite set S of vertices there is a vertex not adjacent to any element in S . This means that Algorithm 3.1 will produce a k -prime labeling: at each stage, V_s is finite, so it is always possible to find the least natural number i such that v_i is not adjacent to any vertex in the set V_s of already labeled vertices. \square

We saw in Example 3.4 that the infinite star does not get a k -prime labeling from Algorithm 3.1, and by this theorem, we see that in fact it cannot have a k -prime labeling for any $k \geq 2$ (the center vertex is dominating). However, the infinite star is prime, since we can eliminate the “problem” by labeling the center vertex 1. This works in general and provides our main classification theorem.

We write $G - v$ for the graph resulting from removing the vertex v (and all incident edges).

Theorem 4.3. *An infinite graph G has a prime labeling if and only if there is a vertex v such that $G - v$ is not finitely dominated.*

Proof. Suppose first that G has a prime labeling f for which $f(v) = 1$. Then $G^- = G - v$ is 2-prime, witnessed by $f|_{G^-}$. By Theorem 4.2, G^- is not finitely dominated, as required.

Conversely, if $G - v$ is not finitely dominated, then $G - v$ has a 2-prime labeling by Theorem 4.2. The vertex that was removed can be labeled with 1, giving a prime labeling of G . \square

Note, another way to state this result is that a graph will have a prime labeling if and only if it is possible to remove one vertex such that the remaining graph has a 2-prime labeling.

We can now state the relationship between k -prime graphs for different values of k .

Corollary 4.4. *If a graph has a k -prime labeling for any $k \geq 2$, it has a k -prime labeling for all k .*

Proof. According to Theorem 4.2, the condition for a graph to have a k -prime labeling is exactly the same for any $k \geq 2$. So if a graph satisfies that condition for any $k \geq 2$, it satisfies it for all $k \geq 2$. Further, if a graph is 2-prime, then it is not finitely dominated. But then $G - v_0$ will also not be finitely dominated, so by Theorem 4.3, G will have a prime labeling. \square

As a result of our classification theorem, some natural classes of graphs will clearly have prime labelings.

Corollary 4.5. *All infinite trees are prime.*

We say a graph is *locally finite* if every vertex has finite degree.

Corollary 4.6. *All infinite locally finite graphs are prime. In particular, the infinite ladder is prime.*

The reason locally finite graphs allow our algorithm to work is that the neighborhood of any finite set must be finite. But even if this doesn't happen, we could always have enough vertices not adjacent to the finite set for other reasons. For example, the graph could have infinitely many connected components or one of the connected components could have infinite diameter.

Corollary 4.7. *All infinite graphs with infinitely many connected components or containing a connected component with infinite diameter have prime labelings.*

5. Computable graphs

We turn now to the question of complexity of prime labelings for infinite graphs. In the finite case, we would consider computational complexity: you might ask whether deciding if a finite graph has a prime labeling is NP-complete. For infinite graphs, we use ideas from *computability theory*.

To do this, we must restrict our attention to *computable* graphs. Essentially, we identify graphs with their edge set, taking the vertex set to be \mathbb{N} , and require the edge set to be a computable set. This means that there is an algorithm that,

given any two vertices (natural numbers) as input, returns whether the two vertices are adjacent. A more precise definition is beyond the scope of this paper, but the interested reader can see [Soare 1987] for background on computability theory in general or [Gasarch 1998] for a survey of the use of computability theory in combinatorics.

The first natural question to consider in this context is whether all computable graphs that have prime labelings have *computable* prime labelings (note that since we insist $V = \mathbb{N}$, a computable graph must necessarily be infinite). In other words, if the graph is nicely presented, will it always be possible to nicely describe a prime labeling? Somewhat surprisingly, the answer here is yes. (This is surprising given that many graph-theoretic properties do not behave so nicely: there are computable graphs with 3-colorings with no computable 3-coloring [Bean 1976a] and computable graphs with Euler paths with no computable Euler path [Bean 1976b], for example.)

Proposition 5.1. *If G is a computable graph which admits a prime labeling, then G has a computable prime labeling.*

Proof. Let G be a computable graph with a prime labeling. By Theorem 4.3, we know that there is a vertex v such that $G - v$ is not finitely dominated. Label v with 1, then proceed with Algorithm 3.1. At step (1) of stage s , we are looking for a vertex not in $N[V_s]$. This can be found in finite time by asking whether v_i is adjacent to v_j for each $v_j \in V_s$, and if ever the answer is yes, we move on to the next potential v_i , which we know we must eventually find since V_s is not dominating. \square

The procedure outlined above relies on a certain amount of *nonuniformity*: we must know where to place the label 1. This does not prevent the prime labeling from being computable, since we are only asking for the existence of an algorithm for the prime labeling, not for a procedure to *find* that algorithm. But could we? Is it possible, given the algorithm for a particular graph, to produce the algorithm that gives the prime labeling? Here, we find the answer is negative.

Theorem 5.2. *There is no computable function which, given any computable graph admitting a prime labeling, produces the prime labeling for that graph.*

Before we give the proof, we need a little more background from computability theory. The key fact we will use is that there is an effective list $\varphi_0, \varphi_1, \varphi_2, \dots$ of all *partial* computable functions (again, see [Soare 1987] for details). The intuition here is that we can consider every possible algorithm, perhaps written in Java, arranged alphabetically and by length (all algorithms have finite length). Of course, for any given algorithm, we have no reason to think that this algorithm will halt on all inputs, and this is why we are only considering *partial* computable functions (if it does halt on all inputs, we call it *total*). However, since the list contains every

algorithm, partial or total, we know that if there were a computable function which gave the computable prime labeling of every computable graph (admitting a prime labeling), it must be somewhere on the list. Our goal then is to ensure every partial computable function on the list is wrong at least once.

Proof. We will build a sequence G_0, G_1, \dots of computable graphs, each admitting a prime labeling. While doing so, we will ensure that, for each $e \in \mathbb{N}$, the partial computable function φ_e is not a prime labeling of the graph G_e .

The construction will “dove-tail” the construction of the infinitely many graphs, so that by the end of stage s , we will have described the first s vertices of the first s graphs. The construction of each graph in the sequence will be independent of the others, so we need only describe how we build an arbitrary graph G_e .

In the limit, the graph G_e will be the union of two stars with centers v_0 and v_1 , at least one of which is infinite. Notice that such a graph will have a prime labeling, as removing the center of an infinite star produces an infinite set of isolated vertices (we are appealing to Theorem 4.3 here). At each stage, we check whether φ_e has returned the label 1 for either v_0 or v_1 . If this has not yet occurred, we add a new vertex adjacent to either v_0 or v_1 , whichever we did not add to in the previous stage. If φ_e returns 1 for the label of v_i with $i \in \{0, 1\}$, then we only ever add new vertices adjacent to v_{1-i} .

Note that it is possible that φ_e will never return 1 for v_0 or v_1 (perhaps φ_e is not total, or it labels a different vertex with 1). In this case, G_e will consist of two infinite stars, but there is no way for φ_e to be a prime labeling (the product of the labels of the two centers has nowhere to go, as in Proposition 3.6). On the other hand, if φ_e does label one of the vertices v_0 or v_1 with a 1, then we never add any more neighbors to that vertex, and only the other vertex will be an infinite star. In this case, φ_e also cannot be a prime labeling. Whatever the label of the center of the infinite star is, there are only finitely many vertices (on the other star) that the infinitely many multiples of this label can be assigned to. This completes the proof. \square

The proof above relies on the inability of computable functions to predict whether a vertex of a graph will have infinite degree, and as such, the computable function does not know which vertex to label with 1. However, this is the only barrier to uniformity. If we consider instead 2-prime labelings, then we get uniformity.

The other computability question we should consider is the *decision problem*: given a computable graph, how hard is it to decide whether the graph has a prime labeling? The usual way to analyze this in computability theory is to determine where the decision problem lies inside (or above) the arithmetical hierarchy. One way to think of this task is that we are assessing the complexity of the condition which is equivalent to a graph having a prime labeling. We have a condition given

in Theorem 4.3. Is this the simplest necessary and sufficient condition to a graph having a prime labeling?

Notice that by Theorem 4.2, a graph has a k -prime labeling for $k \geq 2$ if and only if for all finite sets of vertices, there is at least one vertex not in the neighborhood of the set. Analyzing the quantifiers, we can state this condition as

$$\forall n \exists k (k > n \wedge k \notin N(\{0, 1, \dots, n\})).$$

Since saying that a vertex is not in the neighborhood of a finite set of vertices is computable, we see that a graph having a 2-prime labeling is Π_2^0 . Similarly, to say a graph has a prime labeling, we need it to be the case that there is a vertex, the removal of which, leaves a 2-prime graph. Thus a graph having a prime labeling is Σ_3^0 .

Can we do better? For 2-prime labelings, the answer is no.

Theorem 5.3. *The decision problem for a graph having a k -prime labeling for $k \geq 2$ is Π_2^0 -complete.*

Proof. Fix $k \geq 2$. We argued above that having a k -prime labeling is Π_2^0 , so we need only show completeness. We will do this by giving a 1-reduction to the known Π_2^0 -complete index set $\text{INF} = \{e : |W_e| = \infty\}$, where W_e is the domain of φ_e . That is, we build a sequence of computable graphs $\{G_i\}$ such that G_e has a k -prime labeling if and only if $e \in \text{INF}$.

We build the graphs simultaneously, as in the proof of Theorem 5.2, but this time each graph will either be the disjoint union of an infinite star with a finite path, or the disjoint union of an infinite star with a (one-way) infinite path. In the former case, the graph will not be k -prime, and in the latter it will be k -prime, by Theorem 4.2.

The procedure for building the graph G_e is as follows. Initialize G_e with a center vertex for its star and an initial vertex for its path. At stage s of the construction we assume that we have built a finite star and a finite path. Run $\varphi_e(x)$ on all $x < s$ for which $\varphi_e(x)$ has not already halted at some earlier stage. We continue to run these computations until either $\varphi_e(x)$ halts for some input x , or until each computation has run for s steps, whichever comes first. If we see some $\varphi_e(x)$ halt, this will be the first time we realize that $x \in W_e$, so we have further evidence that $|W_e|$ might be infinite. Thus we add a vertex to the end of the finite path. On the other hand, if no (new) x appears in W_e (i.e., $\varphi_e(x)$ does not halt for any new x by stage s) we work off the assumption that $|W_e|$ is finite and add a vertex to the finite star in G_e .

To verify that this procedure gives us what we want, suppose first that $|W_e| = \infty$. Then there will be infinitely many stages at which we add a vertex to the end of the path, since at each stage we “discover” at most one new x in W_e . Thus in the limit, the path will be infinite (the star will likely be infinite as well, but regardless, G_e will have a k -prime labeling). Conversely, suppose $|W_e|$ is finite. Then there

is a last stage at which any x appears in W_e , and so after that stage, we never add vertices to the path, making the path finite. \square

What about prime labelings? By the quantifier analysis above, we know that the decision problem cannot be harder than Σ_3^0 . Further, a simple modification of the proof for Theorem 5.3 shows that the decision problem is at least Π_2^0 -hard. We would expect the decision problem to in fact be Σ_3^0 -complete, but a proof that it is Σ_3^0 -hard goes beyond the scope of this paper. We leave this as an open question.

Question 1. Is the decision problem for a graph having a prime labeling Σ_3^0 -complete?

6. Conclusion and open questions

We have considered a natural extension of the definition of prime labelings to infinite graphs. For 2-prime labelings, we have a simple necessary and sufficient condition and a condition only slightly less simple for prime labelings. By using tools from computability theory, we see that producing a 2-prime labeling of a 2-prime graph is as straightforward as possible, and only slightly less so for producing prime labelings of prime graphs. We also have that our criterion for 2-prime labelings is as simple as possible, and conjecture that the same is true for prime labelings.

These results mirror those for graceful labelings of infinite graphs, in that working with labelings of infinite graphs seems quite a bit easier than their finite counterparts. This suggests that the difficulty with working with finite graphs is very much tied to finiteness itself. The feeling of “running out of room” is exactly why labeling results are difficult.

We wonder however, whether a more restrictive definition of labelings for infinite graphs might serve as a better infinite analogue to the finite case. Note that for vertex coloring, it turns out that an infinite graph is k -colorable if and only if every finite subgraph is k -colorable. Such a result for prime (and other) labelings would be very nice, but with our definition, is clearly false.

We do not know what the “right” definition would be, but we conclude by considering one possible variant of prime labeling that might be a step in the right direction and encourage others to pursue this further.

Definition. Let G be a graph, v_c be a vertex of that graph (c for *center*), and G_r be the subgraph of G that includes all vertices within distance r of v_c . Then G has a *limitwise prime labeling* if it is possible to choose v_c and label the graph such that for infinitely many r , G_r has been given a prime labeling.

We call a graph *limitwise prime* if it has a limitwise prime labeling.

To get a feel for this, consider the complete infinite binary tree.

Example 6.1. A complete infinite binary tree has a limitwise prime labeling.




Figure 5. A limitwise prime labeling of rows 3 and 4 of the complete binary tree.




Figure 6. The start of a limitwise prime labeled tree.

Proof. For all $r \geq 3$, each row of the graph can have children labeled with the integers from 2^{r+1} to $2^{r+2} - 1$ as follows:

The lowest even number e has children $2e + 1$ and $4e - 1$. All other evens e have children $2e - 1$ and $2e + 1$. The lowest odd number o has children $2o - 2$ and $2o + 2$. The second-greatest odd number o has children $2o - 4$ and $2o + 4$. The greatest odd number o has children $2o - 4$ and $2o - 2$. All others odd numbers o have children $2o - 4$ and $2o + 2$.

The process is shown here for $r = 3$ in Figure 5.

It is straightforward but tedious to show that this will produce a limitwise prime labeling for the tree after the first four rows are labeled with the numbers 1 to 15 in any manner that is prime. One possibility is shown in Figure 6 \square

It certainly appears that giving a limitwise prime labeling is more difficult than giving a prime labeling. Indeed, there are prime graphs that are not limitwise prime.

Example 6.2. Let G be the square of the two-way infinite path, as in Figure 7. Then G has a prime labeling, but not a limitwise prime labeling

Proof. Since G is locally finite, it has a prime labeling.

To show that G has no limitwise prime labeling, choose any vertex for v_c and let G_r be the subgraph that includes all vertices within distance r of v_c . G_r contains $4r + 1$ vertices. This means that if G_r has a prime labeling, then $2r$ even labels must be used.




Figure 7. A prime graph that is not limitwise prime.

Without loss of generality, let v_c be on the bottom of the graph as shown in Figure 7, and let b and t be the number of vertices with even labels on the bottom and top of the graph respectively. Since there are $2r + 1$ vertices on the bottom and adjacent vertices cannot have even labels, $b \leq r + 1$. Similarly, $t \leq r$. Since $2r$ total even labels must be used, $b + t = 2r$, so we have only two cases to consider: either $b = t = r$ or $b = r + 1$ and $t = r - 1$. We will argue that as soon as $r \geq 2$, both of these cases are impossible.

If $t = r$, then it must be that exactly every other vertex on top is even. Since each of these are adjacent to two different vertices on bottom, there is only one vertex on the bottom that can be even, so $b = 1 \neq r$. On the other hand, if $b = r + 1$, then every other vertex on bottom is even, leaving no vertices on top for even vertices, so $t = 0 \neq r$.

So for $r > 1$, G_r does not have a prime labeling, which means G does not have a limitwise prime labeling, even though it does have a prime labeling. \square

There are plenty of questions to consider about limitwise prime labelings including whether this is even a useful variant of prime labeling of infinite graphs. Here are a few to get the ambitious reader started.

Question 2. Are all infinite trees limitwise prime?

Question 3. What are reasonable necessary and/or sufficient conditions for a graph to be limitwise prime?

Note that if every finite subgraph of an infinite graph is prime, then the graph is limitwise prime. However, the converse is likely false. This could be investigated further.

There are also questions of complexity:

Question 4. Does every computable graph with a limitwise prime labeling have a computable limitwise prime labeling?

Question 5. How hard is it to decide whether a computable graph is limitwise prime?

References

[Bean 1976a] D. R. Bean, “Effective coloration”, *J. Symbolic Logic* **41**:2 (1976), 469–480. MR Zbl

- [Bean 1976b] D. R. Bean, “Recursive Euler and Hamilton paths”, *Proc. Amer. Math. Soc.* **55**:2 (1976), 385–394. MR Zbl
- [Berliner et al. 2016] A. H. Berliner, N. Dean, J. Hook, A. Marr, A. Mbirika, and C. D. McBee, “Coprime and prime labelings of graphs”, *J. Integer Seq.* **19**:5 (2016), art. id. 16.5.8. MR Zbl
- [Chan et al. 2009] T. L. Chan, W. S. Cheung, and T. W. Ng, “Graceful tree conjecture for infinite trees”, *Electron. J. Combin.* **16**:1 (2009), art. id. 65. MR Zbl
- [Combe and Nelson 2006] D. Combe and A. M. Nelson, “Magic labellings of infinite graphs over infinite groups”, *Australas. J. Combin.* **35** (2006), 193–210. MR Zbl
- [Gallian 1998] J. A. Gallian, “A dynamic survey of graph labeling”, *Electron. J. Combin.* **5** (1998), art. id. 6. MR Zbl
- [Gasarch 1998] W. Gasarch, “A survey of recursive combinatorics”, pp. 1041–1176 in *Handbook of recursive mathematics, II*, edited by Y. L. Ershov et al., Stud. Logic Found. Math. **139**, North-Holland, Amsterdam, 1998. MR Zbl
- [Ghorbani and Kamali 2016] E. Ghorbani and S. Kamali, “Prime labeling of ladders”, preprint, 2016. arXiv
- [Haxell et al. 2011] P. Haxell, O. Pikhurko, and A. Taraz, “Primality of trees”, *J. Comb.* **2**:4 (2011), 481–500. MR Zbl
- [Pikhurko 2007] O. Pikhurko, “Trees are almost prime”, *Discrete Math.* **307**:11–12 (2007), 1455–1462. MR Zbl
- [Soare 1987] R. I. Soare, *Recursively enumerable sets and degrees*, Springer, 1987. MR Zbl
- [Sundaram et al. 2006] M. Sundaram, R. Ponraj, and S. Somasundaram, “On a prime labeling conjecture”, *Ars Combin.* **79** (2006), 205–209. MR Zbl
- [Sundaram et al. 2007] M. Sundaram, R. Ponraj, and S. Somasundaram, “A note on prime labeling of ladders”, *Acta Cienc. Indica Math.* **33**:2 (2007), 471–477. MR Zbl
- [Tout et al. 1982] R. Tout, A. N. Dabboucy, and K. Howalla, “Prime labeling of graphs”, *Nat. Acad. Sci. Lett. India* **5**:11 (1982), 365–368. Zbl
- [Vaidya and Prajapati 2011] S. Vaidya and U. Prajapati, “Some results on prime and k -prime labeling”, *J. Math. Res.* **3**:1 (2011), 66. Zbl

Received: 2018-02-22 Revised: 2018-07-09 Accepted: 2018-11-08

matthew.kenigsberg@vanderbilt.edu

Vanderbilt University, Nashville, TN, United States

oscar.levin@unco.edu

*School of Mathematical Sciences,
University of Northern Colorado, Greeley, CO, United States*

involve

msp.org/involve

INVOLVE YOUR STUDENTS IN RESEARCH

Involve showcases and encourages high-quality mathematical research involving students from all academic levels. The editorial board consists of mathematical scientists committed to nurturing student participation in research. Bridging the gap between the extremes of purely undergraduate research journals and mainstream research journals, *Involve* provides a venue to mathematicians wishing to encourage the creative involvement of students.

MANAGING EDITOR

Kenneth S. Berenhaut Wake Forest University, USA

BOARD OF EDITORS

Colin Adams	Williams College, USA	Chi-Kwong Li	College of William and Mary, USA
Arthur T. Benjamin	Harvey Mudd College, USA	Robert B. Lund	Clemson University, USA
Martin Bohner	Missouri U of Science and Technology, USA	Gaven J. Martin	Massey University, New Zealand
Nigel Boston	University of Wisconsin, USA	Mary Meyer	Colorado State University, USA
Amarjit S. Budhiraja	U of N Carolina, Chapel Hill, USA	Frank Morgan	Williams College, USA
Pietro Cerone	La Trobe University, Australia	Mohammad Sal Moslehian	Ferdowsi University of Mashhad, Iran
Scott Chapman	Sam Houston State University, USA	Zuhair Nashed	University of Central Florida, USA
Joshua N. Cooper	University of South Carolina, USA	Ken Ono	Emory University, USA
Jem N. Corcoran	University of Colorado, USA	Yuval Peres	Microsoft Research, USA
Toka Diagana	Howard University, USA	Y.-F. S. Pétermann	Université de Genève, Switzerland
Michael Dorff	Brigham Young University, USA	Jonathon Peterson	Purdue University, USA
Sever S. Dragomir	Victoria University, Australia	Robert J. Plemmons	Wake Forest University, USA
Joel Foisy	SUNY Potsdam, USA	Carl B. Pomerance	Dartmouth College, USA
Errin W. Fulp	Wake Forest University, USA	Vadim Ponomarenko	San Diego State University, USA
Joseph Gallian	University of Minnesota Duluth, USA	Bjorn Poonen	UC Berkeley, USA
Stephan R. Garcia	Pomona College, USA	József H. Przytycki	George Washington University, USA
Anant Godbole	East Tennessee State University, USA	Richard Rebarber	University of Nebraska, USA
Ron Gould	Emory University, USA	Robert W. Robinson	University of Georgia, USA
Sat Gupta	U of North Carolina, Greensboro, USA	Javier Rojo	Oregon State University, USA
Jim Haglund	University of Pennsylvania, USA	Filip Saidak	U of North Carolina, Greensboro, USA
Johnny Henderson	Baylor University, USA	Hari Mohan Srivastava	University of Victoria, Canada
Glenn H. Hurlbert	Arizona State University, USA	Andrew J. Sterge	Honorary Editor
Charles R. Johnson	College of William and Mary, USA	Ann Trenk	Wellesley College, USA
K. B. Kulasekera	Clemson University, USA	Ravi Vakil	Stanford University, USA
Gerry Ladas	University of Rhode Island, USA	Antonia Vecchio	Consiglio Nazionale delle Ricerche, Italy
David Larson	Texas A&M University, USA	John C. Wierman	Johns Hopkins University, USA
Suzanne Lenhart	University of Tennessee, USA	Michael E. Zieve	University of Michigan, USA

PRODUCTION

Silvio Levy, Scientific Editor


Cover: Alex Scorpan

See inside back cover or msp.org/involve for submission instructions. The subscription price for 2019 is US \$195/year for the electronic version, and \$260/year (+\$35, if shipping outside the US) for print and electronic. Subscriptions, requests for back issues and changes of subscriber address should be sent to MSP.

Involve (ISSN 1444-4184 electronic, 1444-4176 printed) at Mathematical Sciences Publishers, 798 Evans Hall #3840, c/o University of California, Berkeley, CA 94720-3840, is published continuously online. Periodical rate postage paid at Berkeley, CA 94704, and additional mailing offices.

Involve peer review and production are managed by EditFlow® from Mathematical Sciences Publishers.

PUBLISHED BY

 **mathematical sciences publishers**
nonprofit scientific publishing

<http://msp.org/>

© 2019 Mathematical Sciences Publishers

involve

2019

vol. 12

no. 4

Euler's formula for the zeta function at the positive even integers	541
SAMYUKTA KRISHNAMURTHY AND MICAH B. MILINOVICH	
Descents and des-Wilf equivalence of permutations avoiding certain nonclassical patterns	549
CADEN BIELAWA, ROBERT DAVIS, DANIEL GREESON AND QINHAN ZHOU	
The classification of involutions and symmetric spaces of modular groups	565
MARC BESSON AND JENNIFER SCHAEFER	
When is $a^n + 1$ the sum of two squares?	585
GREG DRESDEN, KYLIE HESS, SAIMON ISLAM, JEREMY ROUSE, AARON SCHMITT, EMILY STAMM, TERRIN WARREN AND PAN YUE	
Irreducible character restrictions to maximal subgroups of low-rank classical groups of types B and C	607
KEMPTON ALBEE, MIKE BARNES, AARON PARKER, ERIC ROON AND A. A. SCHAEFFER FRY	
Prime labelings of infinite graphs	633
MATTHEW KENIGSBERG AND OSCAR LEVIN	
Positional strategies in games of best choice	647
AARON FOWLKES AND BRANT JONES	
Graphs with at most two trees in a forest-building process	659
STEVE BUTLER, MISA HAMANAKA AND MARIE HARDT	
Log-concavity of Hölder means and an application to geometric inequalities	671
AUREL I. STAN AND SERGIO D. ZAPETA-TZUL	
Applying prospect theory to multiattribute problems with independence assumptions	687
JACK STANLEY AND FRANK P. A. COOLEN	
On weight-one solvable configurations of the Lights Out puzzle	713
YUKI HAYATA AND MASAKAZU YAMAGISHI	



1944-4176(2019)12:4;1-1