

# Pacific Journal of Mathematics

**NOTE ON THE "EVALUATION OF AN INTEGRAL  
OCCURRING IN SERVOMECHANISM THEORY"**

RICHARD HORACE BATTIN

# NOTE ON THE "EVALUATION OF AN INTEGRAL OCCURRING IN SERVOMACHANISM THEORY"

R. H. BATTIN

In a recent paper [1] W. A. Mersman considers the evaluation of the integral

$$I = \frac{1}{2\pi i} \int_{-\infty i}^{\infty i} \frac{g(x)}{h(x)h(-x)} dx$$

where  $g(x)$  and  $h(x)$  are polynomials in  $x$  of order  $2n - 2$  and  $n$ , respectively. Because of the importance of Mersman's result the present writer wishes to call attention to an alternate and somewhat more direct evaluation of this integral.

We shall utilize Mersman's notation in the main and begin with his equation (3). By division it is clear that

$$\frac{h(x)}{x - x_k} = \sum_{j=1}^n B_{jk} x^{n-j}$$

where it is important to observe that each of the quantities  $B_{jk}$  will, in general, depend upon  $k$  except the first which is simply  $B_{1k} = a_0$ . Then

$$\begin{aligned} \frac{h(x)}{x - x_k} h(-x) + \frac{h(-x)}{-x - x_k} h(x) &= \sum_{s=0}^n \sum_{j=1}^n [(-1)^{n-s} + (-1)^{n-j}] a_s B_{jk} x^{2n-s-j} \\ &= 2(-1)^n \sum_{r=1}^n \sum_{j=1}^{2r} (-1)^j a_{2r-j} B_{jk} x^{2(n-r)} \end{aligned}$$

In the above expression it is understood that  $a_s = 0$  for  $s < 0$  or  $s > n$  and  $B_{jk} = 0$  for  $j > n$ . Mersman's equation (3) then becomes

$$\sum_{r=1}^n g_r x^{2(n-r)} = 2(-1)^n \sum_{r=1}^n x^{2(n-r)} \left\{ \sum_{k=1}^n A_k \sum_{j=1}^{2r} (-1)^j a_{2r-j} B_{jk} \right\}$$

Received September 20, 1953.

*Pacific J. Math.* 5 (1955), 481-482

For simplicity we define

$$F_j = \frac{(-1)^{j+1}}{a_0} \sum_{k=1}^n A_k B_{jk} \quad j = 1, 2, \dots, n$$

so that  $F_1 = I$ . There results the following set of  $n$  linear algebraic equations:

$$a_{2r-1} I + \sum_{j=2}^{2r} a_{2r-j} F_j = (-1)^{n+1} \frac{g_r}{2a_0} \quad r = 1, 2, \dots, n$$

Using Cramer's rule we may now solve directly for  $I$  to obtain Mersman's result as expressed by his equation (6).

#### REFERENCE

1. W. A. Mersman, *Evaluation of an integral occurring in servomechanism theory*, Pacific J. Math. **2** (1952), 627-632.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

# PACIFIC JOURNAL OF MATHEMATICS

## EDITORS

H.L. ROYDEN  
Stanford University  
Stanford, California

E. HEWITT  
University of Washington  
Seattle 5, Washington

R. P. DILWORTH  
California Institute of Technology  
Pasadena 4, California

\* Alfred Horn  
University of California  
Los Angeles 24, California

## ASSOCIATE EDITORS

H. BUSEMANN	P.R. HALMOS	R.D. JAMES	GEORGE PÓLYA
HERBERT FEDERER	HEINZ HOPF	BØRGE JESSEN	J.J. STØKER
MARSHALL HALL	ALFRED HORN	PAUL LEVÝ	KOSAKU YOSIDA

## SPONSORS

UNIVERSITY OF BRITISH COLUMBIA  
CALIFORNIA INSTITUTE OF TECHNOLOGY  
UNIVERSITY OF CALIFORNIA, BERKELEY  
UNIVERSITY OF CALIFORNIA, DAVIS  
UNIVERSITY OF CALIFORNIA, LOS ANGELES  
UNIVERSITY OF CALIFORNIA, SANTA BARBARA  
MONTANA STATE UNIVERSITY  
UNIVERSITY OF NEVADA  
OREGON STATE COLLEGE  
UNIVERSITY OF OREGON

UNIVERSITY OF SOUTHERN CALIFORNIA  
STANFORD UNIVERSITY  
UNIVERSITY OF UTAH  
WASHINGTON STATE COLLEGE  
UNIVERSITY OF WASHINGTON  
\* \* \*  
AMERICAN MATHEMATICAL SOCIETY  
HUGHES AIRCRAFT COMPANY  
SHELL DEVELOPMENT COMPANY

---

Mathematical papers intended for publication in the *Pacific Journal of Mathematics* should be typewritten (double spaced), and the author should keep a complete copy. Manuscripts may be sent to any of the editors. Manuscripts intended for the outgoing editors should be sent to their successors. All other communications to the editors should be addressed to the managing editor, Alfred Horn, at the University of California Los Angeles 24, California.

50 reprints of each article are furnished free of charge; additional copies may be obtained at cost in multiples of 50.

---

The *Pacific Journal of Mathematics* is published quarterly, in March, June, September, and December. The price per volume (4 numbers) is \$12.00; single issues, \$3.50; back numbers (Volumes 1, 2, 3) are available at \$2.50 per copy. Special price to individual faculty members of supporting institutions and to individual members of the American Mathematical Society: \$4.00 per volume; single issues, \$1.25.

Subscriptions, orders for back numbers, and changes of address should be sent to the publishers, University of California Press, Berkeley 4, California.

Printed at Ann Arbor, Michigan. Entered as second class matter at the Post Office, Berkeley, California.

\* During the absence of E.C. Straus.

UNIVERSITY OF CALIFORNIA PRESS • BERKELEY AND LOS ANGELES

COPYRIGHT 1955 BY PACIFIC JOURNAL OF MATHEMATICS

Richard Horace Battin, <i>Note on the "Evaluation of an integral occurring in servomechanism theory"</i> .....	481
Frank Herbert Brownell, III, <i>An extension of Weyl's asymptotic law for eigenvalues</i> .....	483
Wilbur Eugene Deskins, <i>On the homomorphisms of an algebra onto Frobenius algebras</i> .....	501
James Michael Gardner Fell, <i>The measure ring for a cube of arbitrary dimension</i> .....	513
Harley M. Flanders, <i>The norm function of an algebraic field extension. II</i> .....	519
Dieter Gaier, <i>On the change of index for summable series</i> .....	529
Marshall Hall and Lowell J. Paige, <i>Complete mappings of finite groups</i> .....	541
Moses Richardson, <i>Relativization and extension of solutions of irreflexive relations</i> .....	551
Peter Scherk, <i>An inequality for sets of integers</i> .....	585
W. R. Scott, <i>On infinite groups</i> .....	589
A. Seidenberg, <i>On homogeneous linear differential equations with arbitrary constant coefficients</i> .....	599
Victor Lenard Shapiro, <i>Cantor-type uniqueness of multiple trigonometric integrals</i> .....	607
Leonard Tornheim, <i>Minimal basis and inessential discriminant divisors for a cubic field</i> .....	623
Helmut Wielandt, <i>On eigenvalues of sums of normal matrices</i> .....	633