

Pacific Journal of Mathematics

**CORRECTION TO: CHAINS OF INFINITE ORDER AND THEIR
APPLICATION TO LEARNING THEORY**

JOHN W. LAMPERTI AND PATRICK COLONEL SUPPES

ERRATA

Correction to

CHAINS OF INFINITE ORDER AND THEIR APPLICATION TO LEARNING THEORY

JOHN LAMPERTI AND PATRICK SUPPES

Volume 9 (1959), 739-754

Professor M. Iosifescu has pointed out to us an error in our paper [1]. The difficulty lies in the positivity condition

$$(2.3) \quad p_{j_0}^{(n_0)}(x) \geq \delta \geq 0 \quad \text{for every } x ,$$

which is not strong enough when $n_0 > 1$. Iosifescu has in fact given an example of a second order Markov chain satisfying (2.3) with $n_0 = 0$ for which $\lim_{n \rightarrow \infty} p_i^{(n)}(x)$ is not independent of x as asserted by Theorem 2.1.

The difficulty can be overcome by making the stronger assumption that for some state j_0 , some positive integer n_0 , and some sequence of positive numbers δ_m ,

$$(2.3') \quad p_{j_0^* m}^{(n_0)}(x) \geq \delta_m \quad \text{for every } x \text{ and } m .$$

Here $p_{x_m}^{(n)}(x)$ is the joint probability (defined formally by (2.11) and (2.12)) of executing the sequence x_m after n steps, given x , and $j_0^* m$ means a sequence of m repetitions of j_0 . Thus we are asserting that the event, consisting of m consecutive visits to j_0 starting after a lapse of time n_0 , has positive probability uniformly in x (not in m). If $n_0 = 1$, (2.3') follows from (2.3) with $\delta_m = \delta^m$, and our error lay in the tacit use of (2.3'), rather than (2.3), in proving Lemma 2.2 in our paper. When (2.3') is assumed the argument given is valid. Lemma 2.1 does in fact follow from (2.3) and (2.5) as asserted, and so with the new hypothesis the conclusions of § 2 are justified.

Let us consider the effect of this change on the application to linear learning models. Assumption (ii) (b) of Theorem 4.1, which is used to derive (2.3), is now seen to be inadequate for the conclusions of the theorem. However the special case (4.5), when $m_0 = 0$, yields (2.3) with $n_0 = 1$ and so the results are valid in this situation. Although (2.3') could be adapted to yield greater generality, we take it that essentially all cases of interest are actually covered by (4.5), and

shall leave the matter so. A similar remark applies to Theorem 4.2.

REFERENCE

1. John Lamperti and Patrick Suppes, 'Chains of infinite order and their application to learning theory,' *Pacific J. Math.* **9** (1959), 739-754.

Correction to

NON-LINEAR DIFFERENTIAL EQUATIONS ON CONES IN BANACH SPACES

CHARLES V. COFFMAN

Volume 14 (1964), 9-15

In [1] the proof of a main lemma, Lemma 3.1, contains an error. The lemma itself is false without stronger hypotheses. The purpose of this note is to state and prove a lemma which can be used in place of Lemma 3.1 in the proofs of Theorem 4.1 and 5.1 in [1].

Let Y be a Banach space, let I be a closed linear manifolds in Y^* which is total for Y .¹ Assume that I is some real interval. The differential equation with which [1] is concerned is

$$(1) \quad dy/dt = f(t, y),$$

where f is a function from $I \times C \rightarrow Y$ which is continuous with respect to the weak I -topology on Y ; C is a subset of Y . The notation and terminology used here will be the same as that employed in [1]; the definition of a weak I -derivative, a weak I -solution of (1), etc., are to be found in [1].

Let \mathcal{C} be the space of weakly I -continuous functions on I with values in C , furnished with the topology of uniform convergence (in the weak I -topology) on compact subintervals of I . If C is compact in the weak I -topology, then Ascoli's theorem implies that a set of equicontinuous functions in \mathcal{C} is relatively compact in \mathcal{C} . However unless the topology on \mathcal{C} satisfies the first axiom of countability one cannot conclude from Ascoli's theorem, as is done in [1], that an equicontinuous sequence of functions in \mathcal{C} has a convergent subsequence. (\mathcal{C} will satisfy the first axiom of countability, for example,

Received March 3, 1965.

¹ In [1] a total manifold is defined but is incorrectly called a determining manifold. The author wishes to thank the referee of this note for pointing out this mistake as well as for correcting an omission in the original proof of the lemma stated here.

PACIFIC JOURNAL OF MATHEMATICS

EDITORS

H. SAMELSON

Stanford University
Stanford, California

R. M. BLUMENTHAL

University of Washington
Seattle, Washington 98105

J. DUGUNDJI

University of Southern California
Los Angeles, California 90007

*RICHARD ARENS

University of California
Los Angeles, California 90024

ASSOCIATE EDITORS

E. F. BECKENBACH

B. H. NEUMANN

F. WOLF

K. YOSIDA

SUPPORTING INSTITUTIONS

UNIVERSITY OF BRITISH COLUMBIA
CALIFORNIA INSTITUTE OF TECHNOLOGY
UNIVERSITY OF CALIFORNIA
MONTANA STATE UNIVERSITY
UNIVERSITY OF NEVADA
NEW MEXICO STATE UNIVERSITY
OREGON STATE UNIVERSITY
UNIVERSITY OF OREGON
OSAKA UNIVERSITY
UNIVERSITY OF SOUTHERN CALIFORNIA

STANFORD UNIVERSITY
UNIVERSITY OF TOKYO
UNIVERSITY OF UTAH
WASHINGTON STATE UNIVERSITY
UNIVERSITY OF WASHINGTON
* * *
AMERICAN MATHEMATICAL SOCIETY
CALIFORNIA RESEARCH CORPORATION
SPACE TECHNOLOGY LABORATORIES
NAVAL ORDNANCE TEST STATION

Mathematical papers intended for publication in the *Pacific Journal of Mathematics* should be typewritten (double spaced). The first paragraph or two must be capable of being used separately as a synopsis of the entire paper. It should not contain references to the bibliography. No separate author's resumé is required. Manuscripts may be sent to any one of the four editors. All other communications to the editors should be addressed to the managing editor, Richard Arens, at the University of California, Los Angeles, California 90024.

50 reprints per author of each article are furnished free of charge; additional copies may be obtained at cost in multiples of 50.

The *Pacific Journal of Mathematics* is published quarterly, in March, June, September, and December. Effective with Volume 13 the price per volume (4 numbers) is \$18.00; single issues, \$5.00. Special price for current issues to individual faculty members of supporting institutions and to individual members of the American Mathematical Society: \$8.00 per volume; single issues \$2.50. Back numbers are available.

Subscriptions, orders for back numbers, and changes of address should be sent to Pacific Journal of Mathematics, 103 Highland Boulevard, Berkeley 8, California.

Printed at Kokusai Bunken Insatsusha (International Academic Printing Co., Ltd.), No. 6, 2-chome, Fujimi-cho, Chiyoda-ku, Tokyo, Japan.

PUBLISHED BY PACIFIC JOURNAL OF MATHEMATICS, A NON-PROFIT CORPORATION

The Supporting Institutions listed above contribute to the cost of publication of this Journal, but they are not owners or publishers and have no responsibility for its content or policies.

* Basil Gordon, Acting Managing Editor until February 1, 1966.

| | |
|--|------|
| Robert James Blattner, <i>Group extension representations and the structure space</i> | 1101 |
| Glen Eugene Bredon, <i>On the continuous image of a singular chain complex</i> | 1115 |
| David Hilding Carlson, <i>On real eigenvalues of complex matrices</i> | 1119 |
| Hsin Chu, <i>Fixed points in a transformation group</i> | 1131 |
| Howard Benton Curtis, Jr., <i>The uniformizing function for certain simply connected Riemann surfaces</i> | 1137 |
| George Wesley Day, <i>Free complete extensions of Boolean algebras</i> | 1145 |
| Edward George Effros, <i>The Borel space of von Neumann algebras on a separable Hilbert space</i> | 1153 |
| Michel Mendès France, <i>A set of nonnormal numbers</i> | 1165 |
| Jack L. Goldberg, <i>Polynomials orthogonal over a denumerable set</i> | 1171 |
| Frederick Paul Greenleaf, <i>Norm decreasing homomorphisms of group algebras</i> | 1187 |
| Fletcher Gross, <i>The 2-length of a finite solvable group</i> | 1221 |
| Kenneth Myron Hoffman and Arlan Bruce Ramsay, <i>Algebras of bounded sequences</i> | 1239 |
| James Patrick Jans, <i>Some aspects of torsion</i> | 1249 |
| Laura Ketchum Kodama, <i>Boundary measures of analytic differentials and uniform approximation on a Riemann surface</i> | 1261 |
| Alan G. Konheim and Benjamin Weiss, <i>Functions which operate on characteristic functions</i> | 1279 |
| Ronald John Larsen, <i>Almost invariant measures</i> | 1295 |
| You-Feng Lin, <i>Generalized character semigroups: The Schwarz decomposition</i> | 1307 |
| Justin Thomas Lloyd, <i>Representations of lattice-ordered groups having a basis</i> | 1313 |
| Thomas Graham McLaughlin, <i>On relative coimmunity</i> | 1319 |
| Mitsuru Nakai, <i>Φ-bounded harmonic functions and classification of Riemann surfaces</i> | 1329 |
| L. G. Nova, <i>On n-ordered sets and order completeness</i> | 1337 |
| Fredos Papan gelou, <i>Some considerations on convergence in abelian lattice-groups</i> | 1347 |
| Frank Albert Raymond, <i>Some remarks on the coefficients used in the theory of homology manifolds</i> | 1365 |
| John R. Ringrose, <i>On sub-algebras of a C^*-algebra</i> | 1377 |
| Jack Max Robertson, <i>Some topological properties of certain spaces of differentiable homeomorphisms of disks and spheres</i> | 1383 |
| Zalman Rubinstein, <i>Some results in the location of zeros of polynomials</i> | 1391 |
| Arthur Argyle Sagle, <i>On simple algebras obtained from homogeneous general Lie triple systems</i> | 1397 |
| Hans Samelson, <i>On small maps of manifolds</i> | 1401 |
| Annette Sinclair, <i>$\varepsilon(z)$-closeness of approximation</i> | 1405 |
| Edsel Ford Stiel, <i>Isometric immersions of manifolds of nonnegative constant sectional curvature</i> | 1415 |
| Earl J. Taft, <i>Invariant splitting in Jordan and alternative algebras</i> | 1421 |
| L. E. Ward, <i>On a conjecture of R. J. Koch</i> | 1429 |
| Neil Marchand Wigley, <i>Development of the mapping function at a corner</i> | 1435 |
| Horace C. Wiser, <i>Embedding a circle of trees in the plane</i> | 1463 |
| Adil Mohamed Yaqub, <i>Ring-logics and residue class rings</i> | 1465 |
| John W. Lamperti and Patrick Colonel Suppes, <i>Correction to: Chains of infinite order and their application to learning theory</i> | 1471 |
| Charles Vernon Coffman, <i>Correction to: Non-linear differential equations on cones in Banach spaces</i> | 1472 |
| P. H. Doyle, III, <i>Correction to: A sufficient condition that an arc in S^n be cellular</i> | 1474 |
| P. P. Saworotnow, <i>Correction to: On continuity of multiplication in a complemented algebra</i> | 1474 |
| Basil Gordon, <i>Correction to: A generalization of the coset decomposition of a finite group</i> | 1474 |