

*Pacific
Journal of
Mathematics*

**CORRECTION TO:
MODULAR DIOPHANTINE INEQUALITIES
AND NUMERICAL SEMIGROUPS**

J. C. ROSALES, P. A. GARCÍA-SÁNCHEZ AND J. M. URBANO-BLANCO

**CORRECTION TO:
MODULAR DIOPHANTINE INEQUALITIES
AND NUMERICAL SEMIGROUPS**

J. C. ROSALES, P. A. GARCÍA-SÁNCHEZ AND J. M. URBANO-BLANCO

Volume **218**:2 (2005), 379–398

The modular numerical semigroup $S(2, 6) = \langle 3, 4, 5 \rangle$ is pseudo-symmetric. Thus Corollary 60 of the paper is false, since it asserts that $S(a, ab)$ is not pseudo-symmetric for any positive integers $a, b > 1$. The mistake comes from part (ii) of Proposition 58, which should read

S is pseudo-symmetric if and only if $(a-1, b) + (a-1) \bmod b = b - 1$.

(The sign on right-hand side of this equality was incorrect.)

Received March 21, 2005.

J. C. ROSALES
DEPARTAMENTO DE ÁLGEBRA
UNIVERSIDAD DE GRANADA
E-18071 GRANADA
SPAIN
jrosales@ugr.es

P. A. GARCÍA-SÁNCHEZ
DEPARTAMENTO DE ÁLGEBRA
UNIVERSIDAD DE GRANADA
E-18071 GRANADA
SPAIN
pedro@ugr.es

J. M. URBANO-BLANCO
DEPARTAMENTO DE ÁLGEBRA
UNIVERSIDAD DE GRANADA
E-18071 GRANADA
SPAIN
jurbano@ugr.es

