

*Pacific
Journal of
Mathematics*

REMARK ON
“MAXIMAL FUNCTIONS ON THE UNIT n -SPHERE”
BY PETER M. KNOPF (1987)

HONG-QUAN LI

**REMARK ON
“MAXIMAL FUNCTIONS ON THE UNIT n -SPHERE”
BY PETER M. KNOPF (1987)**

HONG-QUAN LI

Volume **129**:1 (1987), 77–84

The article in question contains an important result on the behavior of the Hardy–Littlewood maximal function M_{S^n} on the unit n -sphere, providing a weak-type linear bound that has not been improved on in the intervening decades. Unfortunately, the proof has a gap, since it relies on an incorrect intermediate result (Lemma 3). We correct the proof by providing a sharper lower bound for a trigonometry integral than the one used by Knopf.

1. Introduction

Let S^{n-1} ($n \geq 2$) denote the unit sphere of dimension $n - 1$, i.e., the $n - 1$ dimensional, simply connected Riemannian manifold of constant sectional curvature 1. Let $d_{S^{n-1}}$ be the induced distance and $\mu_{S^{n-1}}$ be the induced measure.

Consider the centered Hardy–Littlewood maximal function, $M_{S^{n-1}}$, on S^{n-1} , i.e.,

$$M_{S^{n-1}} f(x) = \sup_{0 < r \leq \pi} \frac{1}{\mu_{S^{n-1}}(B_{S^{n-1}}(x, r))} \int_{B_{S^{n-1}}(x, r)} |f(y)| d\mu_{S^{n-1}}(y),$$

$$x \in S^{n-1}, f \in L^1(S^{n-1}),$$

where $B_{S^{n-1}}(x, r)$ is the open ball with center x and radius $r > 0$.

In [Knopf 1987], the following theorem is presented:

Theorem 1.1. *There exists a constant $A > 0$ such that*

$$(1-1) \quad \|M_{S^{n-1}}\|_{L^1 \rightarrow L^{1,\infty}} \leq An \quad \text{for all } n \geq 2.$$

The author is partially supported by the NSF of China (grant no. 11171070), NCET-09-0316 and “The Program for Professor of Special Appointment (Eastern Scholar) at Shanghai Institutions of Higher Learning”.

MSC2010: 42B25, 43A85.

Keywords: Hardy–Littlewood maximal function, sphere.

For other results concerning the estimates of type (1-1), see for example [Stein and Strömberg 1983] in the setting of \mathbb{R}^n , [Li 2009; Li and Qian 2011] in the setting of H-type groups, [Li 2010] for Grushin operators, [Li and Lohoué 2012] for the case of real hyperbolic spaces and [Naor and Tao 2010]. There is also a bound of type

$$\lim_{n \rightarrow +\infty} \|M_{\text{Cube}}\|_{L^1 \rightarrow L^{1,\infty}} = +\infty$$

about the centered maximal function associated to cubes in \mathbb{R}^n ; see [Aldaz 2011] or [Aubrun 2009] for details.

Let ω_{n-1} denote the area of the unit sphere of \mathbb{R}^n ; i.e., $\omega_{n-1} = 2 \frac{\pi^{\frac{n}{2}}}{\Gamma(\frac{n}{2})}$. Recall that, for $x \in S^{n-1}$, $0 < t \leq 2$,

$$S(x, t) = \{y \in S^{n-1} \subset \mathbb{R}^n; |x - y| \leq t\},$$

$$|S(x, t)| = \mu_{S^{n-1}}(S(x, r)).$$

There exist some mistakes in [Knopf 1987]. For example, near the end of the proof of Lemma 3, take

$$t = \sqrt{2(1 - n^{-\frac{1}{2}})},$$

and we find that Lemma 3 is wrong. Knopf uses the estimate that

$$|S(x, t)| = \omega_{n-2} \int_0^{2 \arcsin(t/2)} \sin^{n-2} u \, du \geq \omega_{n-2} \int_0^{2 \arcsin(t/2)} \sin^{n-2} u \cos u \, du,$$

which gives the lower bound

$$(1-2) \quad |S(x, t)| \geq \frac{c\omega_{n-1}}{\sqrt{n}} \left[t^2 \left(1 - \frac{t^2}{4} \right) \right]^{\frac{n-1}{2}} \quad \text{for all } 0 < t \leq \sqrt{2}, n \geq 2.$$

This estimate is not sharp enough to obtain the desired result. In order to make the proof in [Knopf 1987] effective, we need the sharper and sufficient lower bound:

Lemma 1.2. *There exists a constant $c > 0$ such that, for all $n \geq 2$ and $0 < t \leq \sqrt{2}$, we have*

$$(1-3) \quad |S(x, t)| \geq c\omega_{n-1} \left[n \left(1 - t \sqrt{1 - \frac{t^2}{4}} \right) + t \sqrt{1 - \frac{t^2}{4}} \right]^{-\frac{1}{2}} \left[t^2 \left(1 - \frac{t^2}{4} \right) \right]^{\frac{n-1}{2}}.$$

More specifically, using the bound (1-3) instead of (1-2) in the proof of Knopf’s Lemma 1 yields an improved result to replace Lemma 1:

$$(1-4) \quad M_{S^{n-1}} f(x) \leq c \max \left\{ \sup_{\substack{n^{-\frac{1}{2}} \leq t \\ \leq \sqrt{2(1-n^{-1})}}} \frac{\sqrt{n(1-t\sqrt{1-\frac{t^2}{4}})} + t\sqrt{1-\frac{t^2}{4}}}{t} u\left(\left(1-\frac{t^2}{2}\right)x\right), \right. \\ \left. n \sup_{0 < t \leq n^{-\frac{1}{2}}} u\left(\left(1-\frac{t}{\sqrt{n}}\right)x\right), \quad u(n^{-1}x) \right\}.$$

Using (1-4) instead of the original Lemma 1 estimate at the end of the proof of Lemma 3 in [Knopf 1987] gives

$$(1-5) \quad M_{S^{n-1}} f(x) \leq c \max \left\{ \sup_{\substack{n^{-\frac{1}{2}} \leq t \\ \leq \sqrt{2(1-n^{-1})}}} \frac{\sqrt{n(1-t\sqrt{1-\frac{t^2}{4}})} + t\sqrt{1-\frac{t^2}{4}}}{t} \left(1 + \sqrt{n \ln\left(1-\frac{t^2}{2}\right)^{-1}}\right), \right. \\ \left. n \sup_{0 < t \leq n^{-\frac{1}{2}}} \left(1 + \sqrt{n \ln\left(1-\frac{t}{\sqrt{n}}\right)^{-1}}\right), \quad 1 + \sqrt{n \ln n} \right\} M_T f(x).$$

It is trivial to check that the right side of (1-5) is at most $cnM_T f(x)$, and using this inequality the rest of the original proof works and gives the correct result.

2. Proof of Equation (1-3)

For $0 < t \leq \sqrt{2}$, set $r = 2 \arcsin(t/2)$; then

$$|S(x, t)| = \int_0^r \omega_{n-2} (\sin s)^{n-2} ds = \omega_{n-2} \int_0^{\sin r} y^{n-2} \frac{dy}{\sqrt{1-y^2}} \\ \geq \frac{\omega_{n-2}}{\sqrt{2}} \int_0^{\sin r} y^{n-2} \frac{dy}{\sqrt{1-y}} = \frac{\omega_{n-2}}{\sqrt{2}} (\sin r)^{n-1} \int_0^1 \frac{u^{n-2}}{\sqrt{1-u \sin r}} du.$$

Observe that

$$\int_0^1 \frac{u^{n-2}}{\sqrt{1-u \sin r}} du \geq \left(1 - \frac{1}{n}\right)^{n-2} \int_{1-\frac{1}{n}}^1 \frac{du}{\sqrt{1-u \sin r}} \\ = 2e^{(n-2) \ln(1-\frac{1}{n})} \frac{1}{n} \frac{1}{\sqrt{1-\sin r} + \sqrt{1-(1-\frac{1}{n}) \sin r}} \\ > c \frac{1}{\sqrt{n}} \frac{1}{\sqrt{n(1-\sin r) + \sin r}}.$$

Then Stirling’s formula implies (1-3). □

Remark. By (1-3), a simple computation then leads to

$$(2-1) \quad |S(x, t)| \geq c\omega_{n-1} \quad \text{whenever } \sqrt{2(1-n^{-1})} \leq t \leq 2 \text{ and } n \geq 2.$$

Acknowledgement

The author would like to thank Jian-Gang Ying for the help in English and the referee for helpful suggestions.

References

- [Aldaz 2011] J. M. Aldaz, “The weak type $(1, 1)$ bounds for the maximal function associated to cubes grow to infinity with the dimension”, *Ann. of Math. (2)* **173**:2 (2011), 1013–1023. MR 2012b:42028 Zbl 1230.42025
- [Aubrun 2009] G. Aubrun, “Maximal inequality for high-dimensional cubes”, *Confluentes Math.* **1**:2 (2009), 169–179. MR 2010j:42039 Zbl 1177.42015
- [Knopf 1987] P. M. Knopf, “Maximal functions on the unit n -sphere”, *Pacific J. Math.* **129**:1 (1987), 77–84. MR 88i:42031 Zbl 0634.42018
- [Li 2009] H.-Q. Li, “Fonctions maximales centrées de Hardy–Littlewood sur les groupes de Heisenberg”, *Studia Math.* **191**:1 (2009), 89–100. MR 2009k:42039 Zbl 1187.42018
- [Li 2010] H.-Q. Li, “Fonctions maximales centrées de Hardy–Littlewood pour les opérateurs de Grushin”, preprint, 2010. arXiv 1207.3128
- [Li and Lohoué 2012] H.-Q. Li and N. Lohoué, “Fonction maximale centrée de Hardy–Littlewood sur les espaces hyperboliques”, *Ark. Mat.* **50**:2 (2012), 359–378. MR 2961327 Zbl 06112914
- [Li and Qian 2011] H.-Q. Li and B. Qian, “Centered Hardy–Littlewood maximal functions on Heisenberg type groups”, 2011. To appear in *Trans. Amer. Math. Soc.*
- [Naor and Tao 2010] A. Naor and T. Tao, “Random martingales and localization of maximal inequalities”, *J. Funct. Anal.* **259**:3 (2010), 731–779. MR 2011k:42040 Zbl 1196.42018
- [Stein and Strömberg 1983] E. M. Stein and J.-O. Strömberg, “Behavior of maximal functions in \mathbf{R}^n for large n ”, *Ark. Mat.* **21**:2 (1983), 259–269. MR 86a:42027 Zbl 0537.42018

Received April 3, 2012. Revised September 6, 2012.

HONG-QUAN LI
 SCHOOL OF MATHEMATICAL SCIENCES
 FUDAN UNIVERSITY
 220 HANDAN ROAD
 SHANGHAI 200433
 CHINA
 hongquan_li@fudan.edu.cn

PACIFIC JOURNAL OF MATHEMATICS

msp.org/pjm

Founded in 1951 by E. F. Beckenbach (1906–1982) and F. Wolf (1904–1989)

EDITORS

V. S. Varadarajan (Managing Editor)
Department of Mathematics
University of California
Los Angeles, CA 90095-1555
pacific@math.ucla.edu

Paul Balmer
Department of Mathematics
University of California
Los Angeles, CA 90095-1555
balmer@math.ucla.edu

Don Blasius
Department of Mathematics
University of California
Los Angeles, CA 90095-1555
blasius@math.ucla.edu

Vyjayanthi Chari
Department of Mathematics
University of California
Riverside, CA 92521-0135
chari@math.ucr.edu

Daryl Cooper
Department of Mathematics
University of California
Santa Barbara, CA 93106-3080
cooper@math.ucsb.edu

Robert Finn
Department of Mathematics
Stanford University
Stanford, CA 94305-2125
finn@math.stanford.edu

Kefeng Liu
Department of Mathematics
University of California
Los Angeles, CA 90095-1555
liu@math.ucla.edu

Jiang-Hua Lu
Department of Mathematics
The University of Hong Kong
Pokfulam Rd., Hong Kong
jhlu@maths.hku.hk

Sorin Popa
Department of Mathematics
University of California
Los Angeles, CA 90095-1555
popa@math.ucla.edu

Jie Qing
Department of Mathematics
University of California
Santa Cruz, CA 95064
qing@cats.ucsc.edu

Paul Yang
Department of Mathematics
Princeton University
Princeton NJ 08544-1000
yang@math.princeton.edu

PRODUCTION

Silvio Levy, Scientific Editor, production@msp.org

SUPPORTING INSTITUTIONS

ACADEMIA SINICA, TAIPEI
CALIFORNIA INST. OF TECHNOLOGY
INST. DE MATEMÁTICA PURA E APLICADA
KEIO UNIVERSITY
MATH. SCIENCES RESEARCH INSTITUTE
NEW MEXICO STATE UNIV.
OREGON STATE UNIV.

STANFORD UNIVERSITY
UNIV. OF BRITISH COLUMBIA
UNIV. OF CALIFORNIA, BERKELEY
UNIV. OF CALIFORNIA, DAVIS
UNIV. OF CALIFORNIA, LOS ANGELES
UNIV. OF CALIFORNIA, RIVERSIDE
UNIV. OF CALIFORNIA, SAN DIEGO
UNIV. OF CALIF., SANTA BARBARA

UNIV. OF CALIF., SANTA CRUZ
UNIV. OF MONTANA
UNIV. OF OREGON
UNIV. OF SOUTHERN CALIFORNIA
UNIV. OF UTAH
UNIV. OF WASHINGTON
WASHINGTON STATE UNIVERSITY

These supporting institutions contribute to the cost of publication of this Journal, but they are not owners or publishers and have no responsibility for its contents or policies.


See inside back cover or msp.org/pjm for submission instructions.

The subscription price for 2013 is US \$400/year for the electronic version, and \$485/year for print and electronic. Subscriptions, requests for back issues and changes of subscribers address should be sent to Pacific Journal of Mathematics, P.O. Box 4163, Berkeley, CA 94704-0163, U.S.A. The Pacific Journal of Mathematics is indexed by Mathematical Reviews, Zentralblatt MATH, PASCAL CNRS Index, Referativnyi Zhurnal, Current Mathematical Publications and the Science Citation Index.

The Pacific Journal of Mathematics (ISSN 0030-8730) at the University of California, c/o Department of Mathematics, 798 Evans Hall #3840, Berkeley, CA 94720-3840, is published monthly except July and August. Periodical rate postage paid at Berkeley, CA 94704, and additional mailing offices. POSTMASTER: send address changes to Pacific Journal of Mathematics, P.O. Box 4163, Berkeley, CA 94704-0163.

PJM peer review and production are managed by EditFLOW® from Mathematical Sciences Publishers.

PUBLISHED BY

 **mathematical sciences publishers**
nonprofit scientific publishing

<http://msp.org/>

© 2013 Mathematical Sciences Publishers

PACIFIC JOURNAL OF MATHEMATICS

Volume 263 No. 1 May 2013

Biharmonic hypersurfaces in complete Riemannian manifolds	1
LUIS J. ALÍAS, S. CAROLINA GARCÍA-MARTÍNEZ and MARCO RIGOLI	
Half-commutative orthogonal Hopf algebras	13
JULIEN BICHON and MICHEL DUBOIS-VIOLETTE	
Superdistributions, analytic and algebraic super Harish-Chandra pairs	29
CLAUDIO CARMELI and RITA FIORESI	
Orbifolds with signature $(0; k, k^{n-1}, k^n, k^n)$	53
ANGEL CAROCCA, RUBÉN A. HIDALGO and RUBÍ E. RODRÍGUEZ	
Explicit isogeny theorems for Drinfeld modules	87
IMIN CHEN and YOONJIN LEE	
Topological pressures for ϵ -stable and stable sets	117
XIANFENG MA and ERCAI CHEN	
Lipschitz and bilipschitz maps on Carnot groups	143
WILLIAM MEYERSON	
Geometric inequalities in Carnot groups	171
FRANCESCO PAOLO MONTEFALCONE	
Fixed points of endomorphisms of virtually free groups	207
PEDRO V. SILVA	
The sharp lower bound for the first positive eigenvalue of the Folland–Stein operator on a closed pseudohermitian $(2n + 1)$ -manifold	241
CHIN-TUNG WU	
Remark on “Maximal functions on the unit n -sphere” by Peter M. Knopf (1987)	253
HONG-QUAN LI	



0030-8730(201305)263:1;1-7